

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Revision Date: 20/06/2022 Date of Issue: 01/07/2014

Version: 4.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

Product Form Mixture  
Product Name CV1-1148  
Synonyms Silicone Dispersion

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only

#### 1.2.2. Uses Advised Against

Uses Advised Against No additional information available

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe  
1198 Avenue Maurice Donat  
Le Natura Bt. 2  
06250 Mougins  
France  
+33 4 92 96 93 31  
[productstewardship@avantorsciencesgcc.com](mailto:productstewardship@avantorsciencesgcc.com)  
[www.nusil.com](http://www.nusil.com)

### 1.4. Emergency Telephone Number

Emergency Number +1 703-527-3887 CHEMTREC (International and Maritime)  
800-424-9300 CHEMTREC (in US)  
+(44)-870-8200418  
+(353)-19014670

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification According to Regulation (EC) No. 1272/2008

Flam. Liq. 2 H225  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
Skin Sens. 1B H317  
STOT SE 3 H336  
Asp. Tox. 1 H304  
Aquatic Chronic 2 H411

Full text of hazard classes, H-statements: see section 1.6

### 2.2. Label Elements

#### Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal Word (CLP)

Danger

Hazard Statements (CLP)

H225 - Highly flammable liquid and vapour.

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

---

### Precautionary Statements (CLP)

H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
P242 - Use non-sparking tools.  
P243 - Take action to prevent static discharges.  
P261 - Avoid breathing mist, spray, vapours.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, protective clothing, protective gloves.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTRE or doctor if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P331 - Do NOT induce vomiting.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P391 - Collect spillage.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national and/or international regulation.

EUH066 - Repeated exposure may cause skin dryness or cracking.

### EUH-statements

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.3. Other Hazards

Other Hazards Not Contributing Exposure may aggravate pre-existing eye, skin, or respiratory to the Classification conditions.

This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII

The substance/mixture does not contain substance(s) equal to or greater than 0.1% by weight that are present in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	(CAS-No.) Not available (REACH Registration No.) 01-2119473851-33 (EC-No.) 920-750-0	50 - 60	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2-Butanone, O,O',O''-(methylsilyldiylidene)trioxime	(CAS-No.) 22984-54-9 (EC-No.) 245-366-4	5 - < 10	Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373
Carbon black	(CAS-No.) 1333-86-4 (EC-No.) 215-609-9	1 - 5	Not classified
1-Propanamine, 3-(triethoxysilyl)-	(CAS-No.) 919-30-2 (EC-No.) 213-048-4 (EC Index-No.) 612-108-00-0	1 - < 3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6	< 1	Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 Skin Sens. 1, H317
Dibutyltin dilaurate	(CAS-No.) 77-58-7 (EC-No.) 201-039-8 (EC Index-No.) 050-030-00-3	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360FD STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

First-Aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-Aid Measures After Inhalation

Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists. When symptoms occur: go into open air and ventilate suspected area.

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-Aid Measures After Skin Contact	Immediately remove contaminated clothing. Wash affected area with soap and water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.
First-Aid Measures After Eye Contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-Aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Place affected person on their side. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects	May be fatal if swallowed and enters airways. May cause drowsiness and dizziness. Causes serious eye irritation. Causes skin irritation. Skin sensitisation.
Symptoms/Effects After Inhalation	High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
Symptoms/Effects After Skin Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.
Symptoms/Effects After Eye Contact	Contact causes severe irritation with redness and swelling of the conjunctiva.
Symptoms/Effects After Ingestion	Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.
Chronic Symptoms	Repeated exposure may cause skin dryness or cracking.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing Media

Suitable Extinguishing Media	Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ). Water may be ineffective but water should be used to keep fire-exposed container cool.
Unsuitable Extinguishing Media	Do not use a heavy water stream. A heavy water stream may spread burning liquid. Application of water stream to hot product may cause frothing and increase fire intensity.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard	Highly flammable liquid and vapour.
Explosion Hazard	May form flammable or explosive vapour-air mixture.
Reactivity	Reacts violently with strong oxidisers. Increased risk of fire or explosion.
Hazardous Combustion Products	Carbon oxides (CO, CO <sub>2</sub> ). Formaldehyde. Nitrogen oxides. Silicon oxides.

### 5.3. Advice for Firefighters

Precautionary Measures Fire Fighting Instructions	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection During Firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Other Information	Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Use special care to avoid static electric charges. Do not get in eyes, on skin, or on clothing. Avoid breathing (vapour, mist, spray). Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).  
Emergency Procedures Evacuate unnecessary personnel. Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.  
Emergency Procedures Upon arrival at the scene, a first responder is expected to recognise the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Eliminate ignition sources first, then ventilate the area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up Use only non-sparking tools. Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

Additional Hazards When Processed Handle empty containers with care because residual vapours are flammable. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapours.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapours, mist, spray. Avoid contact with skin, eyes and clothing. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene Measures Handle in accordance with good industrial hygiene and safety procedures.

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

#### Technical Measures

Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

#### Storage Conditions

Store in accordance with applicable national storage class systems. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

#### Incompatible Materials

Strong acids, strong bases, strong oxidisers.

### 7.3. Specific End Use(s)

For professional use only

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

Please see section 16 for the legal basis of limit value information in section 8.1, including the national legislation or provision which gives rise to a given limit.

Carbon black (1333-86-4)		
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	3 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	3,5 mg/m <sup>3</sup>
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	7 mg/m <sup>3</sup>
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	2 mg/m <sup>3</sup> (dust)
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	3,5 mg/m <sup>3</sup>
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	3 mg/m <sup>3</sup> (dust (Dusts))
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	3,5 mg/m <sup>3</sup>
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	7 mg/m <sup>3</sup>
France	OEL TWA (Legal Basis:INRS ED 984)	3,5 mg/m <sup>3</sup>
Greece	OEL TWA (Legal Basis:PWHS)	3,5 mg/m <sup>3</sup>
Greece	OEL STEL (Legal Basis:PWHS)	7 mg/m <sup>3</sup>
Hungary	OEL TWA (Legal Basis:Decree No. 05/2020)	3 mg/m <sup>3</sup> (respirable)
Ireland	OEL TWA (Legal Basis:2020 COP)	3 mg/m <sup>3</sup> (inhalable fraction)
Ireland	OEL STEL (Legal Basis:2020 COP)	15 mg/m <sup>3</sup> (calculated-inhalable fraction)
USA ACGIH	OEL TWA (Legal Basis:IMDFN1)	3 mg/m <sup>3</sup> (inhalable particulate matter)
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	3,5 mg/m <sup>3</sup>
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	7 mg/m <sup>3</sup> (value calculated)
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	4 mg/m <sup>3</sup> (inhalable fraction)
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	3 mg/m <sup>3</sup>
Portugal	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	2 mg/m <sup>3</sup> (respirable fraction, 5% or less fibrogenic component) 10 mg/m <sup>3</sup> (respirable fraction, greater than 5% fibrogenic component) 10 mg/m <sup>3</sup> (total aerosol)
Spain	OEL TWA (Legal Basis:OELCAIS)	3,5 mg/m <sup>3</sup>
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	3 mg/m <sup>3</sup> (inhalable fraction)
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)		
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	28 mg/m <sup>3</sup>
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	3 ppm
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	55 mg/m <sup>3</sup>
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	6 ppm
Tin organic compounds		
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	0,1 mg/m <sup>3</sup> (except tri-n-Butyltin compounds-inhalable)

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

		fraction)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	0,2 mg/m <sup>3</sup> (except Tri-n-butyltin compounds-inhalable fraction)
Austria	OEL Chemical Category (Legal Basis:BGBl. II Nr. 254/2018)	Skin notation except Tri-n-butyltin compounds
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	0,1 mg/m <sup>3</sup>
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	0,2 mg/m <sup>3</sup>
Belgium	OEL Chemical Category (Legal Basis:Royal Decree 21/01/2020)	Skin
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	0,1 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	0,1 mg/m <sup>3</sup> (except Cyhexatin)
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	0,2 mg/m <sup>3</sup> (except Cyhexatin)
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	0,1 mg/m <sup>3</sup>
Czech Republic	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	0,1 mg/m <sup>3</sup> (except Tri-n-butyltin compounds)
Denmark	OEL Chemical Category (Legal Basis:BEK No. 698 of 28/05/2020)	Potential for cutaneous absorption
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	0,1 mg/m <sup>3</sup>
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	0,2 mg/m <sup>3</sup>
Estonia	OEL Chemical Category (Legal Basis:Regulation No. 105)	Skin notation
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	0,1 mg/m <sup>3</sup>
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	0,3 mg/m <sup>3</sup>
Finland	OEL Chemical Category HTP-ARVOT 2020)	Potential for cutaneous absorption
France	OEL STEL (Legal Basis:INRS ED 984)	0,2 mg/m <sup>3</sup>
France	OEL TWA (Legal Basis:INRS ED 984)	0,1 mg/m <sup>3</sup>
Greece	OEL TWA (Legal Basis:PWHE)	0,1 mg/m <sup>3</sup>
Greece	OEL STEL (Legal Basis:PWHE)	0,2 mg/m <sup>3</sup>
Greece	OEL Chemical Category (Legal Basis:PWHE)	skin - potential for cutaneous absorption
Hungary	OEL TWA (Legal Basis:Decree No. 05/2020)	0,05 mg/m <sup>3</sup> 0,002 mg/m <sup>3</sup>
Hungary	OEL STEL (Legal Basis:Decree No. 05/2020)	0,4 mg/m <sup>3</sup>
Hungary	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
Ireland	OEL TWA (Legal Basis:2020 COP)	0,1 mg/m <sup>3</sup>
Ireland	OEL STEL (Legal Basis:2020 COP)	0,2 mg/m <sup>3</sup>
USA ACGIH	OEL TWA (Legal Basis:IMDFN1)	0,1 mg/m <sup>3</sup>
USA ACGIH	OEL STEL (Legal Basis:IMDFN1)	0,2 mg/m <sup>3</sup>
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	0,1 mg/m <sup>3</sup>
Lithuania	OEL STEL (Legal Basis:HN 23:2011)	0,2 mg/m <sup>3</sup>
Lithuania	OEL Chemical Category (Legal Basis:HN 23:2011)	Skin notation
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	0,1 mg/m <sup>3</sup>
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	0,3 mg/m <sup>3</sup> (value calculated)
Norway	OEL Chemical Category (Legal Basis:FOR-2020-04-06-695)	Skin notation
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	0,1 mg/m <sup>3</sup>
Portugal	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	0,2 mg/m <sup>3</sup>
Portugal	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	0,05 mg/m <sup>3</sup>
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	0,15 mg/m <sup>3</sup>
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	0,1 mg/m <sup>3</sup>
Slovakia	OEL STEL (Legal Basis:Gov. Decree 33/2018)	0,2 mg/m <sup>3</sup>
Slovakia	OEL Chemical Category (Legal Basis:Gov. Decree 33/2018)	Potential for cutaneous absorption
Spain	OEL TWA (Legal Basis:OELCAIS)	0,1 mg/m <sup>3</sup>
Spain	OEL STEL (Legal Basis:OELCAIS)	0,2 mg/m <sup>3</sup>
Spain	OEL Chemical Category (Legal Basis:OELCAIS)	skin - potential for cutaneous absorption
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	0,1 mg/m <sup>3</sup> (total dust)

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878


Sweden	OEL STEL (Legal Basis:AFS 2018:1)	0,2 mg/m <sup>3</sup> (total dust)
Sweden	OEL Chemical Category (Legal Basis:AFS 2018:1)	Skin notation
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	0,2 mg/m <sup>3</sup> (inhalable dust)
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	0,1 mg/m <sup>3</sup> (inhalable dust)
Switzerland	OEL Chemical Category (Legal Basis:OLVSNAIF)	Skin notation

### 8.2. Exposure Controls

Appropriate Engineering Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. Personal protective equipment should be chosen in accordance with Regulation (EU) 2016/425, CEN standards, and in discussion with the supplier of the protective equipment.

Personal Protective Equipment



Materials for Protective Clothing

Chemically resistant materials and fabrics. Wear fire/ flame resistant/retardant clothing.

Hand Protection

Wear protective gloves.

Eye Protection

Chemical safety goggles.

Skin and Body Protection

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Colour, Appearance	Black
Odour	Solvent
Odour Threshold	No data available
pH	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	125,6 °C (258 °F)
Flash Point	8,8 °C (47,8 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Relative Density	>1



# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available
Particle Aspect Ratio	Not applicable
Particle Aggregation State	Not applicable
Particle Agglomeration State	Not applicable
Particle Specific Surface Area	Not applicable
Particle Dustiness	Not applicable

### 9.2. Other Information

VOC content	50 – 60 %
-------------	-----------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

### 10.2. Chemical Stability

Highly flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidisers.

### 10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Hazard Classes As Defined In Regulation (EC) No 1272/2008

Likely Routes of Exposure	Inhalation Ingestion Dermal Eye contact
Acute Toxicity (Oral)	Not classified (Based on available data, the classification criteria are not met)
Acute Toxicity (Dermal)	Not classified (Based on available data, the classification criteria are not met)
Acute Toxicity (Inhalation)	Not classified (Based on available data, the classification criteria are not met)

Carbon black (1333-86-4)	
LD50 Oral Rat	> 8000 mg/kg
LC50 Inhalation Rat	> 4,6 mg/m <sup>3</sup> (Exposure time: 4 h)
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)	
LD50 Oral Rat	2295 mg/kg

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	1,49 – 2,44 mg/l/4h
2-Butanone, O,O',O''-(methylsilylidyne)trioxime (22984-54-9)	
LD50 Oral Rat	2463 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
Dibutyltin dilaurate (77-58-7)	
LD50 Oral Rat	175 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LC50 Inhalation Rat	0,075 mg/l/4h
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)	
LD50 Oral Rat	1570 mg/kg
LD50 Dermal Rabbit	4290 mg/kg
LC50 Inhalation Rat	> 7,35 mg/l/4h (No mortality observed)
LC50 Inhalation Rat	> 5 ppm (Exposure time: 6 h)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics (REACH Registration No.) 01-2119473851-33	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	3000 mg/kg

Skin Corrosion/Irritation	Causes skin irritation.
Eye Damage/Irritation	Causes serious eye irritation.
Respiratory or Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)

Carbon black (1333-86-4)	
IARC Group	2B

Reproductive Toxicity	Not classified (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Single Exposure)	May cause drowsiness or dizziness.
Specific Target Organ Toxicity (Repeated Exposure)	Not classified (Based on available data, the classification criteria are not met)
Aspiration Hazard	May be fatal if swallowed and enters airways.
Symptoms/Injuries After Inhalation	High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
Symptoms/Injuries After Skin Contact	Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.
Symptoms/Injuries After Eye Contact	Contact causes severe irritation with redness and swelling of the conjunctiva.
Symptoms/Injuries After Ingestion	Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.
Chronic Symptoms	Repeated exposure may cause skin dryness or cracking.

### 11.2. Information On Other Hazards

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to humans as it does not meet the criteria set out in section A of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Hazardous To The Aquatic Environment, Short-Term (Acute) Not classified (Based on available data, the classification criteria are not met)  
Hazardous To The Aquatic Environment, Long-Term (Chronic) Toxic to aquatic life with long lasting effects.

Carbon black (1333-86-4)	
EC50 Crustacea	5600 mg/l (Exposure time: 24 h - Species: Daphnia magna)
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine (1760-24-3)	
LC50 Fish	597 mg/l (Species: Danio rerio)
EC50 Crustacea	81 mg/l
ErC50 Algae	8,8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)
NOEC chronic Fish	344 mg/l
NOEC chronic Crustacea	35 mg/l
NOEC chronic Algae	3,1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)
2-Butanone, O,O',O''-(methylsilyldiylidene)trioxime (22984-54-9)	
EC50 Crustacea	120 mg/l (Exposure time: 48h - Species: Daphnia magna)
Dibutyltin dilaurate (77-58-7)	
EC50 Crustacea	< 463 µg/l (Exposure time: 48 h - Species: Daphnia magna)
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)	
LC50 Fish	934 mg/l (Danio rerio)
EC50 Crustacea	331 mg/l
ErC50 Algae	1000 mg/l (Scenedesmus subspicatus)
NOEC chronic Fish	934 mg/l (Danio rerio)
NOEC chronic Crustacea	94 mg/l (Daphnia magna)

#### 12.2. Persistence and Degradability

CV1-1148	
Persistence and Degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative Potential

CV1-1148	
Bioaccumulative Potential	Not established.

#### 12.4. Mobility in Soil

No additional information available

#### 12.5. Results of PBT and vPvB Assessment

Does not contain any PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XVIII

#### 12.6. Endocrine Disrupting Properties

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

#### 12.7. Other Adverse Effects

Other Information Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste Treatment Methods

Sewage Disposal Recommendations Do not empty into drains; dispose of this material and its container in a safe way.  
Product/Packaging Disposal Recommendations Dispose of contents/container in accordance with local, regional, national, and international regulations.

# CV1-1148

## Safety Data Sheet






According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Additional Information	Handle empty containers with care because residual vapours are flammable.
Ecology - Waste Materials	This material is hazardous to the aquatic environment. Keep out of sewers and waterways. Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN Number or ID Number</b>				
UN 1268	UN 1268	UN 1268	UN 1268	UN 1268
<b>14.2. UN Proper Shipping Name</b>				
PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM PRODUCTS, N.O.S.	PETROLEUM DISTILLATES, N.O.S.
<b>14.3. Transport Hazard Class</b>				
3	3	3	3	3
				
<b>14.4. Packing Group</b>				
II	II	II	II	II
<b>14.5. Environmental Hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

### 14.6. Special Precautions For User

No additional information available

### 14.7. Maritime Transport in Bulk According to IMO instruments

Not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

##### 15.1.1.1. REACH Annex XVII Information

Contains no REACH substances with Annex XVII restrictions

##### 15.1.1.2. REACH Candidate List Information

Contains no substance on the REACH candidate list

##### 15.1.1.3. POP (2019/1021) - Persistent Organic Pollutants Information

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### 15.1.1.4. PIC Regulation EU (649/2012) - Export and Import of Hazardous Chemicals Information

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Dibutyltin compounds (77-58-7)

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.1.5. REACH Annex XIV Information

Contains no REACH Annex XIV substances

### 15.1.1.6. Substances Depleting the Ozone layer (1005/2009) Information

No additional information available

### 15.1.1.7. EC Inventory Information

No additional information available

### 15.1.1.8. Other Information

No additional information available

### 15.1.2. National Regulations

No additional information available

### 15.1.3. International Inventory Lists

No additional information available

## 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

## SECTION 16: OTHER INFORMATION

Date of Preparation or Latest Revision 20/06/2022

Revision

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full Text of H-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhalation) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Classification and Procedure Used to Derive the Classification for Mixtures According to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	On basis of test data
Skin Irrit. 2	Calculation method
Eye Irrit. 2	Calculation method
Skin Sens. 1B	Calculation method
STOT SE 3	Calculation method
Asp. Tox. 1	Calculation method
Aquatic Chronic 2	Calculation method

### Indication of Changes

Section	Change	Date Changed	Version
1	Language modified	20/05/2016	2.1
1	Language modified	20/06/2022	3.0
2	Data modified	20/05/2016	2.1
2	Language modified	20/06/2022	3.0
3	Language modified	20/05/2016	2.1
3	Classification modified; Data modified	20/06/2022	3.0
4	Language modified	20/06/2022	3.0
5	Language modified	20/06/2022	3.0
6	Language modified	20/06/2022	3.0
7	Language modified	20/06/2022	3.0
8	Data modified; Language modified	20/06/2022	3.0
9	Data modified	20/06/2022	3.0
10	Language modified	20/06/2022	3.0
11	Data modified; Language modified	20/06/2022	3.0
12	Data modified; Language modified	20/06/2022	3.0
13	Language modified	20/06/2022	3.0
14	Language modified	20/06/2022	3.0
15	Language modified	20/05/2016	2.1
15	Language modified	20/06/2022	3.0
16	Language modified	20/05/2016	2.1
16	Language modified	20/06/2022	3.0

### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists  
ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
ATE - Acute Toxicity Estimate  
BCF - Bioconcentration Factor  
BEI - Biological Exposure Indices (BEI)  
BOD – Biochemical Oxygen Demand  
CAS No. - Chemical Abstracts Service Number  
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008  
COD – Chemical Oxygen Demand  
EC – European Community  
EC50 - Median Effective Concentration  
EEC – European Economic Community  
EINECS – European Inventory of Existing Commercial Chemical Substances

NDS - Najwyższe Dopuszczalne Stezenie  
NDSCh - Najwyższe Dopuszczalne Stezenie Chwilowe  
NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe  
NOAEL - No-Observed Adverse Effect Level  
NOEC - No-Observed Effect Concentration  
NRD - Nevirsytinas Ribinis Dydis  
NTP – National Toxicology Program  
OEL - Occupational Exposure Limits  
PBT - Persistent, Bioaccumulative and Toxic  
PEL - Permissible Exposure Limit  
pH – Potential Hydrogen  
REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals  
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail  
SADT - Self Accelerating Decomposition Temperature  
SDS - Safety Data Sheet  
STEL - Short Term Exposure Limit  
STOT - Specific Target Organ Toxicity

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EmS-No. (Fire) - IMDG Emergency Schedule Fire  
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage  
EU - European Union  
ErC50 - EC50 in Terms of Reduction Growth Rate  
GHS - Globally Harmonized System of Classification and Labeling of Chemicals  
IARC - International Agency for Research on Cancer  
IATA - International Air Transport Association  
IBC Code - International Bulk Chemical Code  
IMDG - International Maritime Dangerous Goods  
IPRV - Ilgalaikio Poveikio Ribinis Dydis  
IOELV - Indicative Occupational Exposure Limit Value  
LC50 - Median Lethal Concentration  
LD50 - Median Lethal Dose  
LOAEL - Lowest Observed Adverse Effect Level  
LOEC - Lowest-Observed-Effect Concentration  
Log Koc - Soil Organic Carbon-water Partitioning Coefficient  
Log Kow - Octanol/water Partition Coefficient  
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water  
MAK - Maximum Workplace Concentration/Maximum Permissible Concentration  
MARPOL - International Convention for the Prevention of Pollution

### Limit Value Legal Basis\*

\*Includes the below and any related regulations/provisions, and subsequent amendments

**EU - 2019/1831 EU in accor. with 98/24/EC** - Directive 2019/1831/EU of October 24, 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 2000/39/EC.

**EU - 2019/1243/EU, and 98/24/EC** - Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work and amendment Regulation (EU) 2019/1243.

**Austria - BGBl. II Nr. 254/2018** - Ordinance on Limit Values for Workplace Substances and on Carcinogens from the Federal Ministry of Economics and Labour, Published in 2003, Appendix 1: Substance List, Published through: Ministry of Economics and Labour of the Republic of Austria amended through the Government Gazette II (BGBl. II) No 119/2004) & BGBl. II No. 242/2006, BGBl. II No. 243/2007, lastly changed through BGBl. I Nr. 51/2011), BGBl. II Nr. 186/2015, BGBl. II Nr. 288/2017 amended by BGBl. II Nr. 254/2018.

**Austria - BLV BGBl. II Nr. 254/2018** - Ordinance on health monitoring at the workplace 2008, published through BGBl. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, Lastly changed through BGBl. II Nr. 254/2018

**Belgium - Royal Decree 21/01/2020** - Royal decree amending title 1 relating to chemical agents in Book VI of the code of well-being at work, with regard to the list of limit values of exposure to chemical agents and title 2 relating to carcinogens, mutagens and reprotoxics of Book VI of the code of well-being at work (1)

**Bulgaria - Reg. No. 13/10** -

Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work Labor Code, Annex No.1 Limit values of chemical agents in the air of the working environment, and Annex № 2 Biological limit values of chemical agents and their metabolites (bio markers of exposure) or bio markers of effect Amended by: 71/2006, 67/2007, 2/2012, 46/2015, 73/2018, 5/2020), and Regulation No.10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens and Mutagens at Work Annex No.1 Occupational Exposure Limits, Amended by: 8/2004, 46/2015, 5/2020

**Croatia - OG No. 91/2018** - Regulation on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values. Official Gazette No. 91 of October 12, 2018

**Cyprus - KDP 16/2019** - Government of Cyprus Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances) Article 38, As amended by Regulation 16/2019 and Cabinet of Ministers Regulation 153/2001 -

TA-Luft - Technische Anleitung zur Reinhaltung der Luft  
TEL TRK - Technical Guidance Concentrations  
ThOD - Theoretical Oxygen Demand  
TLM - Median Tolerance Limit  
TLV - Threshold Limit Value  
TPRD - Trumpalaikio Poveikio Ribinis Dydis  
TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern  
TRGS 552 - Technische Regeln für Gefahrstoffe - N-Nitrosamine  
TRGS 900 - Technische Regel für Gefahrstoffe 900 - Arbeitsplatzgrenzwerte  
TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte  
TSCA - Toxic Substances Control Act  
TWA - Time Weighted Average  
VOC - Volatile Organic Compounds  
VLA-EC - Valor Límite Ambiental Exposición de Corta Duración  
VLA-ED - Valor Límite Ambiental Exposición Diaria  
VLE - Valeur Limite D'exposition  
VME - Valeur Limite De Moyenne Exposition  
vPvB - Very Persistent and Very Bioaccumulative  
WEL - Workplace Exposure Limit  
WGK - Wassergefährdungsklasse

**Greece - PWHSE** - Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday, (latest amendment 82/2018) and Occupation Exposure Limits - Protection of workers' health and safety from exposure to certain carcinogenic and mutagenic chemical substances (latest amendment 26/2020), and Presidential Decree 212/2006 - Protection of workers that are exposed to asbestos.

**Hungary - Decree 05/2020** - 5/2020. (II. 6.) ITM decree on the protection of the health and safety of workers from the risks related to chemical agents

**Ireland - 2020 COP** - 2020 Code of Practice for the Chemical Agents Regulations, Schedule 1

**Italy - Decree 81** - Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring, Article 1, Law 123 of August 3, 2007, Legislative Decree 81 of April 9, 2008, Last amended: January 2020

**Italy - IMDFN1** - Ministerial Decree of August 20, 1999 Final Note (1)

**Latvia - Reg. No. 325** - Cabinet of Ministers Regulation No. 325 - Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, Amended by Cabinet of Ministers Regulation No. 92, 163, 407 and No. 11.

**Lithuania - HN 23:2011** - Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure Limit Values, Amended by Order V-695/A1-272.

**Luxembourg - A-N 684** - Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace. Official journal of the Grand-Duke of Luxembourg, A-N°684 of 2018

**Malta - MOSHAA Ch. 424** - Malta Occupational Health and Safety Authority Act: Chapter 424 as amended by: Legal Notice 353, 53, 198, and 57.

**Netherlands- OWCRV** - Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XVIII, Updated from August 1, 2020.

**Norway - FOR-2020-04-060695** - Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, FOR-2011-12-06-1358, Updated by: FOR-2020-04-06-695, FOR-2020-03-23-402, FOR-2018-12-20-2186, FOR-2018-08-21-1255, FOR-2017-12-20-2353.

**Poland - Dz. U. 2020 Nr. 61** - Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and Intensities of Factors Harmful to Health in the Work Environment Dz.U. 2018 Nr. 1286 of June 12, 2018, Annex 1 -

# CV1-1148

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Safety and Health in the Working Environment (Chemical Substances-Carcinogens), as amended by Regulation 493/2004 - Safety and Health in the Working Environment (Chemical Substances - Carcinogens) AND Law 47(I) 2000 - Occupational Health and Safety (Asbestos), as amended by Decree 316/2006.

**Czech Republic - Reg. 41/2020** - Regulation 41/2020 amending Regulation 361/2007 of Coll. establishing Occupation Exposure Limits as amended

**Czech Republic - Decree No. 107/2013** - Decree No. 107/2013 Coll., amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests, collection of biological material conditions for the implementation of biological exposure tests and requirements for reporting work with asbestos and biological agents

**Denmark - BEK No. 698 of 28/05/2020** - Order on Limit Values for Substances and Materials, The Statutory Order No. 507 of May 17, 2011, Appendix 1 - Limits for air pollution, etc. and Appendix 3 - Biological Exposure Values, Amended by: No. 986 of October 11, 2012, No. 655 of May 31, 2018, No. 1458 December 13, 2019, No. 698 of May 28, 2020

**Estonia - Regulation No. 105** - Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents Government of the Republic, Regulation No. 105 of 20 March 2001, Amended 17 October 2019, and 17 January, 2020.

**Finland - HTP-ARVOT 2020** - Concentrations Known to be Hazardous, 654/2020 OEL values 2020 Publications of Ministry of Social Affairs and Health 2020:24 Annexes1, 2 and 3.

**France - INRS ED 984** - Occupational Exposure Limit Values to Chemical Agents in France Published 2016 by the INRS National Institute of Research and Safety Health and safety of work, revised, updated by: Decree 2016-344, JORF No 0119, and Decree 2019-1487.

**France - Decree 2009-1570** - Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces.

**Germany - TRGS 900** - Occupational Exposure Limits, Technical Rules for Dangerous Substances, latest amendment March, 2020

**Germany - TRGS 903** - Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, latest amendment March, 2020

**Gibraltar - LN. 2018/131** - Factories (Control of Chemical Agents at Work) Regulations 2003 LN. 2003/035, amended by LN. 2008/035, LN. 2008/050, LN. 2012/021, LN. 2015/143, LN. 2018/181.

List of values of the highest permissible chemical concentrations and dust factors harmful to health in the work environment, amended by: Dz. U. 2020 Nr. 61.

**Portugal - Portuguese Norm NP 1796:2014** - Occupational exposure limits and biological exposure indices to chemical agents. Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs), Law Decree 35/2020.

**Romania - Gov. Dec. No 1.218** - Governmental Decision No. 1.218 from 06/09/2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents. Amended by Decision no. 157, 584, 359, and 1.

**Slovakia - Gov. Decree 33/2018** - Government Decree of Slovak Republic 33/2018 on January 17, 2018 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents

**Slovenia - No. 79/19** - Regulation for protection of workers against risks related to carcinogenic or mutagenic substances exposure. Annex III - Classification and binding levels of carcinogenic or mutagenic substances for occupational exposure. The Official Journal of the Republic of Slovenia, No. 101/2005. Amended by 38/15, 79/19. Regulation for protection of workers against risks related to exposure to chemical substances at the workplace. Republic of Slovenia, No. 100/2001. Annex I - List of Binding Occupational Exposure Limit Values. Amended by 39/05, 53/07, 102/10, 38/15, 78/18, 78/19

**Spain - AFS 2018:1** - NATIONAL INSTITUTE FOR HEALTH AND SAFETY AT WORK. Occupational exposure limits for chemical agents in Spain. Tables 1 and 3. Latest edition Feb. 2019

**Sweden - AFS 2018:1** - Statute Book of the Swedish Work Environment Authority, AFS 2018:1 The Swedish Work Environment Authority's Ordinance and General Guidance on Hygienic Limit Values

**Switzerland - OLVSNAIF** - Occupational Limit Values 2020 Swiss National Accident Insurance Fund. List of Biological Limit Values (BAT-Werte) and List of MAK Values.

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil EU GHS SDS (2020/878)