

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Revision date: 17/06/2020 Date of issue: 01/08/2014

Version: 3.0

## SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

### 1.1. Product Identifier

Product form Mixture  
Product Name CV3-1161 Part A  
Synonyms Silicone Adhesive

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

#### 1.2.2. Uses Advised Against

No additional information available

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe  
1198 Avenue Maurice Donat  
Le Natura Bt. 2  
06250 Mougins  
France  
+33 4 92 96 93 31  
[ehs@nusil.com](mailto:ehs@nusil.com)  
[www.nusil.com](http://www.nusil.com)

### 1.4. Emergency Telephone Number

Emergency Number : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC  
(International and Maritime)  
+(44)-870-8200418  
+(353)-19014670

## SECTION 2: Hazards Identification

### 2.1. Classification of the Substance or Mixture

#### Classification According to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



GHS02

Danger

tert-Butyl acetate

H225 - Highly flammable liquid and vapour.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating

Signal Word (CLP)

Hazardous Ingredients

Hazard Statements (CLP)

Precautionary Statements (CLP)

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

equipment  
P280 - Wear eye protection, face protection, protective clothing, protective gloves  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P370+P378 - In case of fire: Use carbon dioxide (CO<sub>2</sub>), foam, sand to extinguish  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations  
EUH066 - Repeated exposure may cause skin dryness or cracking.

EUH-statements

### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
tert-Butyl acetate	(CAS-No.) 540-88-5 (EC-No.) 208-760-7 (EC Index-No.) 607-026-00-7	50 - 70	Flam. Liq. 2, H225

Full text of H-statements: see section 16

## SECTION 4: First Aid Measures

### 4.1. Description of First-aid Measures

First-Aid Measures General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

First-Aid Measures After Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-Aid Measures After Skin Contact Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

First-Aid Measures After Eye Contact Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-Aid Measures After Ingestion Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects None expected under normal conditions of use.

Symptoms/Effects After Inhalation May cause respiratory irritation.

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/Effects After Skin Contact	May cause skin irritation.
Symptoms/Effects After Eye Contact	May cause eye irritation.
Symptoms/Effects After Ingestion	Ingestion is not likely to be harmful or have adverse effects.
Chronic Symptoms	None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: Firefighting Measures

### 5.1. Extinguishing Media

Suitable Extinguishing Media	Use extinguishing media appropriate for surrounding fire.
Unsuitable Extinguishing Media	Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard	Highly flammable liquid and vapour. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
Explosion Hazard	May form flammable/explosive vapour-air mixture.
Reactivity	Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
Other Information	Refer to Section 9 for flammability properties.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures	Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapour, mist, spray). Use special care to avoid static electric charges. Keep away from heat, sparks, open flames, hot surfaces. – No smoking.
------------------	---

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
-----------------	--

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Methods For Cleaning Up

Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling And Storage

### 7.1. Precautions for Safe Handling

Additional Hazards When Processed

Handle empty containers with care because residual vapours are flammable.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures

Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Storage Conditions

Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials

Strong acids. Strong bases. Strong oxidizers. Attacks many plastics.

### 7.3. Specific End Use(S)

For dispersing silicone elastomers. For professional use only.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control Parameters

tert-Butyl acetate (540-88-5)		
Austria	MAK (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup>
Austria	MAK (ppm)	20 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	20 ppm
Austria	OEL - Ceilings (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup>
Austria	OEL - Ceilings (ppm)	20 ppm
Belgium	Limit value (mg/m <sup>3</sup> )	964 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	200 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	966 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (ppm)	200 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	250 ppm
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	950 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	710 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	150 ppm
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	720 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	150 ppm
Finland	HTP-arvo (15 min)	960 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	200 ppm
France	VME (mg/m <sup>3</sup> )	950 mg/m <sup>3</sup>
France	VME (ppm)	200 ppm
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup> (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	20 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m <sup>3</sup> )	950 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	200 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	1190 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	250 ppm
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	950 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	600 ppm (calculated)
Latvia	OEL TWA (mg/m <sup>3</sup> )	200 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
Poland	NDSCh (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
Portugal	OEL TWA (ppm)	200 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	100 ppm
Slovakia	NPHV (Hraničná) (mg/m <sup>3</sup> )	384 mg/m <sup>3</sup>
Slovenia	OEL TWA (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	20 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	96 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	20 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	966 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	200 ppm
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	100 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	700 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	150 ppm

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Switzerland	KZGW (mg/m <sup>3</sup> )	480 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	100 ppm
Switzerland	MAK (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	50 ppm
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	966 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	250 ppm

### 8.2. Exposure Controls

Appropriate Engineering Controls

Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed. Gas detectors should be used when flammable gases/vapours may be released. Use explosion-proof equipment.

Personal Protective Equipment

Protective goggles. Gloves. Protective clothing.



Materials for Protective Clothing

Chemically resistant materials and fabrics.

Hand Protection

Wear chemically resistant protective gloves.

Eye Protection

Chemical goggles or safety glasses.

Skin and Body Protection

Wear suitable protective clothing.

Respiratory Protection

Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls

Do not allow the product to be released into the environment.

Consumer Exposure Controls

Do not eat, drink or smoke during use.

## SECTION 9: Physical and Chemical Hazards

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Appearance	Clear
Odour	Sweet
Odour Threshold	No data available
pH	No data available
Evaporation Rate	2,8
Melting Point	No data available
Freezing Point	No data available
Boiling Point	98 °C (208 °F)
Flash Point	4,4 °C (40 °F)
Auto-Ignition Temperature	518 °C (964 °F)
Decomposition Temperature	No data available
Flammability (Solid, Gas)	No data available

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour Pressure	41,5 mm Hg at 25 °C (77 °F)
Relative Vapour Density At 20 °C	No data available
Relative Density	0,862 (water = 1)
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available

### 9.2. Other Information

VOC content 50 - 70 %

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

### 10.4. Conditions To Avoid

Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.

### 10.5. Incompatible Materials

Strong acids. Strong bases. Strong oxidizers. Attacks many plastics.

### 10.6. Hazardous Decomposition Products

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. May release flammable gases.

## SECTION 11: Toxicological Information

### 11.1. Information On Toxicological Effects

Acute Toxicity Not classified

tert-Butyl acetate (540-88-5)	
LD50 Oral Rat	4500 mg/kg
LD50 Oral	3300 mg/kg
LD50 Dermal Rabbit	> 2000
LC50 Inhalation Rat	> 9482 mg/m <sup>3</sup> (Exposure time: 4 h)
LC50 Inhalation Rat	5157 ppm/4h
LC50 Inhalation Rat	13,3 mg/l/4h

Skin Corrosion/Irritation	Not classified
Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	Not classified
Specific Target Organ Toxicity (Single Exposure)	Not classified

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific Target Organ Toxicity (Repeated Exposure) Not classified  
Aspiration Hazard Not classified

## SECTION 12: Ecological Information

### 12.1. Toxicity

tert-Butyl acetate (540-88-5)	
LC50 Fish 1	296 - 362 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

### 12.2. Persistence and Degradability

No additional information available

### 12.3. Bioaccumulative Potential

tert-Butyl acetate (540-88-5)	
Log Pow	1,38

### 12.4. Mobility in Soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other Adverse Effects

Other Information Avoid release to the environment.

## SECTION 13: Disposal Considerations






### 13.1. Waste Treatment Methods

Product/Packaging Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.  
Additional Information: Handle empty containers with care because residual vapours are flammable.  
Ecology - Waste Materials: Avoid release to the environment.

## SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN Number</b>				
1123	1123	1123	1123	1123
<b>14.2. UN Proper Shipping Name</b>				
BUTYL ACETATES ((Tert-butyl acetate))	BUTYL ACETATES ((Tert-butyl acetate))	BUTYL ACETATES ((Tert-butyl acetate))	BUTYL ACETATES ((Tert-butyl acetate))	((Tert-butyl acetate))
<b>14.3. Transport Hazard Class(Es)</b>				
3	3	3	3	3
				



# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
<b>14.4. Packing Group</b>				
II	II	II	II	Not applicable
<b>14.5. Environmental Hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

### 14.6. Special Precautions For User

No additional information available

### 14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

## SECTION 15: Regulatory Information

### 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
CV3-1161 Part A is not on the REACH Candidate List  
CV3-1161 Part A is not on the REACH Annex XIV List

#### 15.1.2. National Regulations

No additional information available

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

## SECTION 16: Other Information

### Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the Company/Undertaking	Modified	17/06/2020
2	Hazards Identification	Modified	17/06/2020
3	Composition/Information on Ingredients	Modified	17/06/2020
14	Transport Information	Modified	17/06/2020

Date of Preparation or Latest Revision 17/06/2020

Revision

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

# CV3-1161 Part A

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
EUH066	Repeated exposure may cause skin dryness or cracking.

### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists  
ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR – European Agreement Concerning the International Carriage of Dangerous Goods by Road  
ATE – Acute Toxicity Estimate  
BCF – Bioconcentration Factor  
BEI – Biological Exposure Indices (BEI)  
BOD – Biochemical Oxygen Demand  
CAS No. – Chemical Abstracts Service Number  
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008  
COD – Chemical Oxygen Demand  
EC – European Community  
EC50 – Median Effective Concentration  
EEC – European Economic Community  
EINECS – European Inventory of Existing Commercial Chemical Substances  
EmS-No. (Fire) – IMDG Emergency Schedule Fire  
EmS-No. (Spillage) – IMDG Emergency Schedule Spillage  
EU – European Union  
ErC50 – EC50 in Terms of Reduction Growth Rate  
GHS – Globally Harmonized System of Classification and Labeling of Chemicals  
IARC – International Agency for Research on Cancer  
IATA – International Air Transport Association  
IBC Code – International Bulk Chemical Code  
IMDG – International Maritime Dangerous Goods  
IPRV – Ilgalaikio Poveikio Ribinis Dydis  
IOELV – Indicative Occupational Exposure Limit Value  
LC50 – Median Lethal Concentration  
LD50 – Median Lethal Dose  
LOAEL – Lowest Observed Adverse Effect Level  
LOEC – Lowest-Observed-Effect Concentration  
Log K<sub>oc</sub> – Soil Organic Carbon-water Partitioning Coefficient  
Log K<sub>ow</sub> – Octanol/water Partition Coefficient  
Log P<sub>ow</sub> – Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water  
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL – International Convention for the Prevention of Pollution  
NDS – Najwyższe Dopuszczalne Steżenie  
NDSCh – Najwyższe Dopuszczalne Steżenie Chwilowe  
NDSP – Najwyższe Dopuszczalne Steżenie Pulapowe  
NOAEL – No-Observed Adverse Effect Level  
NOEC – No-Observed Effect Concentration  
NRD – Nevirsytinas Ribinis Dydis  
NTP – National Toxicology Program  
OEL – Occupational Exposure Limits  
PBT – Persistent, Bioaccumulative and Toxic  
PEL – Permissible Exposure Limit  
pH – Potential Hydrogen  
REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals  
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail  
SADT – Self Accelerating Decomposition Temperature  
SDS – Safety Data Sheet  
STEL – Short Term Exposure Limit  
TA-Luft – Technische Anleitung zur Reinhaltung der Luft  
TEL TRK – Technical Guidance Concentrations  
ThOD – Theoretical Oxygen Demand  
TLM – Median Tolerance Limit  
TLV – Threshold Limit Value  
TPRD – Trumpalaikio Poveikio Ribinis Dydis  
TRGS 510 – Technische Regel für Gefahrstoffe 510 – Lagerung von Gefahrstoffen in ortsbeweglichen Behältern  
TRGS 552 – Technische Regeln für Gefahrstoffe – N-Nitrosamine  
TRGS 900 – Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte  
TRGS 903 – Technische Regel für Gefahrstoffe 903 – Biologische Grenzwerte  
TSCA – Toxic Substances Control Act  
TWA – Time Weighted Average  
VOC – Volatile Organic Compounds  
VLA-EC – Valor Límite Ambiental Exposición de Corta Duración  
VLA-ED – Valor Límite Ambiental Exposición Diaria  
VLE – Valeur Limite D'exposition  
VME – Valeur Limite De Moyenne Exposition  
vPvB – Very Persistent and Very Bioaccumulative  
WEL – Workplace Exposure Limit  
WGK – Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Revision date: 17/06/2020 Date of issue: 01/08/2014

Version: 3.0

## SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

### 1.1. Product Identifier

Product form Mixture  
Product Name CV3-1161 Part B  
Synonyms Silicone Adhesive

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

#### 1.2.2. Uses Advised Against

No additional information available

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe  
1198 Avenue Maurice Donat  
Le Natura Bt. 2  
06250 Mougins  
France  
+33 4 92 96 93 31  
[ehs@nusil.com](mailto:ehs@nusil.com)  
[www.nusil.com](http://www.nusil.com)

### 1.4. Emergency Telephone Number

Emergency Number : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC  
(International and Maritime)  
+(44)-870-8200418  
+(353)-19014670

## SECTION 2: Hazards Identification

### 2.1. Classification of the Substance or Mixture

#### Classification According to Regulation (EC) No. 1272/2008 [CLP]

Org. Perox. D H242  
Skin Sens. 1 H317  
Repr. 1B H360

Full text of hazard classes and H-statements : see section 16

### 2.2. Label Elements

#### Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



GHS02

GHS07

GHS08

Signal Word (CLP)

Danger

Hazardous Ingredients

2,4-Dichlorobenzoyl peroxide

Hazard Statements (CLP)

H242 - Heating may cause a fire.

H317 - May cause an allergic skin reaction.

H360 - May damage fertility or the unborn child.

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary Statements (CLP)

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 - Keep only in original packaging.  
P240 - Ground and bond container and receiving equipment.  
P261 - Avoid breathing vapours, mist, spray  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear eye protection, protective clothing, protective gloves  
P302+P352 - IF ON SKIN: Wash with plenty of water  
P308+P313 - If exposed or concerned: Get medical advice/attention  
P321 - Specific treatment (see Section 4 on this SDS)  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish  
P403+P411 - Store in a well-ventilated place. Store at temperatures not exceeding 30°C/86°F.  
P405 - Store locked up.  
P410 - Protect from sunlight.  
P420 - Store separately.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
2,4-Dichlorobenzoyl peroxide	(CAS-No.) 133-14-2 (EC-No.) 205-094-9	45 - 55	Org. Perox. D, H242 Skin Sens. 1, H317 Repr. 1B, H360

Full text of H-statements: see section 16

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

### SECTION 4: First Aid Measures

#### 4.1. Description of First-aid Measures

First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-Aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists. If exposed or concerned: Get medical advice/attention.
First-Aid Measures After Eye Contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-Aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects	Skin sensitisation. May damage fertility. May damage the unborn child.
Symptoms/Effects After Inhalation	Prolonged exposure may cause irritation.
Symptoms/Effects After Skin Contact	May cause an allergic skin reaction.
Symptoms/Effects After Eye Contact	May cause slight irritation to eyes.
Symptoms/Effects After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	May damage fertility or the unborn child.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

### SECTION 5: Firefighting Measures

#### 5.1. Extinguishing Media

Suitable Extinguishing Media	Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
Unsuitable Extinguishing Media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard	Heating may cause a fire.
Explosion Hazard	Peroxides and their decomposition products can be flammable, can ignite when heated, and explode under confinement. Will support combustion under fire conditions.
Reactivity	This material contains an organic peroxide. Heating may cause hazardous decomposition. Hazardous decomposition products from peroxides are flammable and can be explosive under confinement.

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous Decomposition  
Products in Case of Fire

Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Formaldehyde. PCB (polychlorinated biphenyls). Furan.

### 5.3. Advice for Firefighters

Precautionary Measures Fire  
Firefighting Instructions  
Protection During Firefighting

Exercise caution when fighting any chemical fire.  
DO NOT fight fire when fire reaches explosives, evacuate area.  
Do not enter fire area without proper protective equipment, including respiratory protection.

Other Information

Contains an organic peroxides keep away from incompatible materials.

## SECTION 6: Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures

Do not get in eyes, on skin, or on clothing. Do not breathe dust. Keep away from heat, hot surfaces, sparks, open flames, incompatible materials, combustible materials, and other ignition sources. No smoking.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment  
Emergency Procedures

Use appropriate personal protective equipment (PPE).  
Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

Protective Equipment  
Emergency Procedures

Equip cleanup crew with proper protection.  
Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment

Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Use only non-sparking tools.

Methods For Cleaning Up

Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Use only non-sparking tools. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: Handling And Storage

### 7.1. Precautions for Safe Handling

Additional Hazards When  
Processed

This material contains an organic peroxide. Heating may cause hazardous decomposition. Hazardous decomposition products from peroxides are flammable and can be explosive under confinement.

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Avoid contact with skin, eyes and clothing. Keep away from heat, ignition sources, combustible materials, incompatible materials, direct sunlight. - No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

### Hygiene Measures

## 7.2. Conditions for Safe Storage, Including Any Incompatibilities

### Technical Measures

Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, and lighting equipment.

### Storage Conditions

Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep in fireproof place. Store locked up/in a secure area.

### Incompatible Materials

Acids. Bases. Rust. Iron. Copper. Heavy metals. Reducing agents. Peroxides.

### Storage Temperature

< 30 °C (86 °F)

### Special Rules On Packaging

Keep only in original container.

## 7.3. Specific End Use(S)

To vulcanize silicone elastomer systems. For professional use only.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control Parameters

No additional information available

### 8.2. Exposure Controls

#### Appropriate Engineering Controls

Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

#### Personal Protective Equipment

Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



#### Materials for Protective Clothing

Chemically resistant materials and fabrics. Wear fire/flammable resistant/retardant clothing.

#### Hand Protection

Wear protective gloves.

#### Eye Protection

Chemical safety goggles.

#### Skin and Body Protection

Wear suitable protective clothing.

#### Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other Information

When using, do not eat, drink or smoke.

## SECTION 9: Physical and Chemical Hazards

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	Solid
Colour	White to off-white paste
Odour	Slight
Odour Threshold	No data available
pH	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (> 275 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	No data available
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Relative Density	1,25 (water = 1)
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	Heating may cause a fire
Oxidising Properties	No data available
Explosive Limits	No data available

### 9.2. Other Information

No additional information available

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

This material contains an organic peroxide. Heating may cause hazardous decomposition. Hazardous decomposition products from peroxides are flammable and can be explosive under confinement.

### 10.2. Chemical Stability

Heating may cause a fire.

### 10.3. Possibility Of Hazardous Reactions

Hazardous polymerization may occur.

### 10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame, combustible materials, organic material and other sources of ignition.

### 10.5. Incompatible Materials

Acids. Bases. Rust. Iron. Copper. Heavy metals. Reducing agents. Peroxides.

### 10.6. Hazardous Decomposition Products

Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). PCB (polychlorinated biphenyls). Furan. 2,4-Dichlorobenzoic acid. 1,3-dichlorobenzene. 2,2',4,4'-Tetrachlorobiphenyl.



# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 11: Toxicological Information

#### 11.1. Information On Toxicological Effects

Acute Toxicity Not classified

2,4-Dichlorobenzoyl peroxide (133-14-2)	
LD50 Oral Rat	> 2500 mg/kg
Skin Corrosion/Irritation	Not classified
Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	May cause an allergic skin reaction.
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	May damage fertility or the unborn child.
Specific Target Organ Toxicity (Single Exposure)	Not classified
Specific Target Organ Toxicity (Repeated Exposure)	Not classified
Aspiration Hazard	Not classified

### SECTION 12: Ecological Information

#### 12.1. Toxicity

Ecology - General Not classified.

2,4-Dichlorobenzoyl peroxide (133-14-2)	
LC50 Fish 1	> 1000 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [semi-static])
NOEC Chronic Fish	1000 mg/l (Exposure: 96h Species: Poecilia reticulata [semi-static])

#### 12.2. Persistence and Degradability

CV3-1161 Part B	
Persistence and Degradability	Not established.

#### 12.3. Bioaccumulative Potential

CV3-1161 Part B	
Bioaccumulative potential	Not established.
2,4-Dichlorobenzoyl peroxide (133-14-2)	
Log Pow	6,01 KowWin

#### 12.4. Mobility in Soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other Adverse Effects

Other Information Avoid release to the environment.

### SECTION 13: Disposal Considerations

#### 13.1. Waste Treatment Methods

Product/Packaging Disposal Recommendations Dispose of contents/container in accordance with local, regional, national, and international regulations.  
Additional Information Container may remain hazardous when empty. Continue to observe all precautions.  
Ecology - Waste Materials Avoid release to the environment.

# CV3-1161 Part B






## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / AND

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN Number</b>				
3106	3106	3106	3106	3106
<b>14.2. UN Proper Shipping Name</b>				
ORGANIC PEROXIDE TYPE D, SOLID (2,4-Dichlorobenzoyl peroxide)	ORGANIC PEROXIDE TYPE D, SOLID (2,4-Dichlorobenzoyl peroxide)	ORGANIC PEROXIDE TYPE D, SOLID (2,4-Dichlorobenzoyl peroxide)	ORGANIC PEROXIDE TYPE D, SOLID (2,4-Dichlorobenzoyl peroxide)	ORGANIC PEROXIDE TYPE D, SOLID (2,4-Dichlorobenzoyl peroxide)
<b>14.3. Transport Hazard Class(Es)</b>				
5.2	5.2	5.2	5.2	5.2
				
<b>14.4. Packing Group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental Hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

#### 14.6. Special Precautions For User

No additional information available

#### 14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

### SECTION 15: Regulatory Information

#### 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

##### 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National Regulations

No additional information available

#### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

# CV3-1161 Part B

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other Information

#### Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the Company/Undertaking	Modified	17/06/2020
2	Hazards identification	Modified	17/06/2020
3	Composition/information on ingredients	Modified	17/06/2020
14	Transport Information	Modified	17/06/2020

Date of Preparation or Latest Revision 17/06/2020

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Org. Perox. D	Organic Peroxides, Type D
Repr. 1B	Reproductive toxicity, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H242	Heating may cause a fire.
H317	May cause an allergic skin reaction.
H360	May damage fertility or the unborn child.

#### Abbreviations and Acronyms

ACGIH - American Conference of Governmental Industrial Hygienists  
ADN - European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
ATE - Acute Toxicity Estimate  
BCF - Bioconcentration Factor  
BEI - Biological Exposure Indices (BEI)  
BOD - Biochemical Oxygen Demand  
CAS No. - Chemical Abstracts Service Number  
CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008  
COD - Chemical Oxygen Demand  
EC - European Community  
EC50 - Median Effective Concentration  
EEC - European Economic Community  
EINECS - European Inventory of Existing Commercial Chemical Substances  
EmS-No. (Fire) - IMDG Emergency Schedule Fire  
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage  
EU - European Union  
ErC50 - EC50 in Terms of Reduction Growth Rate  
GHS - Globally Harmonized System of Classification and Labeling of Chemicals  
IARC - International Agency for Research on Cancer  
IATA - International Air Transport Association  
IBC Code - International Bulk Chemical Code  
IMDG - International Maritime Dangerous Goods  
IPRV - Ilgalaikio Poveikio Ribinis Dydis  
IOELV - Indicative Occupational Exposure Limit Value  
LC50 - Median Lethal Concentration  
LD50 - Median Lethal Dose  
LOAEL - Lowest Observed Adverse Effect Level  
LOEC - Lowest-Observed-Effect Concentration  
Log Koc - Soil Organic Carbon-water Partitioning Coefficient  
Log Kow - Octanol/water Partition Coefficient  
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water  
MAK - Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution  
NDS - Najwyższe Dopuszczalne Stezenie  
NDSCh - Najwyższe Dopuszczalne Stezenie Chwilowe  
NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe  
NOAEL - No-Observed Adverse Effect Level  
NOEC - No-Observed Effect Concentration  
NRD - Nevirsylinas Ribinis Dydis  
NTP - National Toxicology Program  
OEL - Occupational Exposure Limits  
PBT - Persistent, Bioaccumulative and Toxic  
PEL - Permissible Exposure Limit  
pH - Potential Hydrogen  
REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals  
RID - Regulations Concerning the International Carriage of Dangerous Goods by Rail  
SADT - Self Accelerating Decomposition Temperature  
SDS - Safety Data Sheet  
STEL - Short Term Exposure Limit  
TA-Luft - Technische Anleitung zur Reinhaltung der Luft  
TEL TRK - Technical Guidance Concentrations  
ThOD - Theoretical Oxygen Demand  
TLM - Median Tolerance Limit  
TLV - Threshold Limit Value  
TPRD - Trumpalaikio Poveikio Ribinis Dydis  
TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern  
TRGS 552 - Technische Regeln für Gefahrstoffe - N-Nitrosamine  
TRGS 900 - Technische Regel für Gefahrstoffe 900 - Arbeitsplatzgrenzwerte  
TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte  
TSCA - Toxic Substances Control Act  
TWA - Time Weighted Average  
VOC - Volatile Organic Compounds  
VLA-EC - Valor Límite Ambiental Exposición de Corta Duración  
VLA-ED - Valor Límite Ambiental Exposición Diaria  
VLE - Valeur Limite D'exposition  
VME - Valeur Limite De Moyenne Exposition  
vPvB - Very Persistent and Very Bioaccumulative  
WEL - Workplace Exposure Limit  
WGK - Wassergefährdungsklasse

## CV3-1161 Part B

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.