

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 03/01/2024 Date of Issue: 06/17/2014



Version: 4.0

SECTION 1: Identification

1.1. Product Identifier

| | |
|--------------|--------------------|
| Product Form | Mixture |
| Product Name | CV-2500-2 Part A |
| Synonyms | Silicone Elastomer |

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

| | |
|------------------------------|----------------------------|
| Use of the Substance/Mixture | For professional use only. |
|------------------------------|----------------------------|

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. Emergency Telephone Number

| | |
|------------------|--|
| Emergency Number | 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime) |
|------------------|--|

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Not classified

2.2. Label Elements

GHS-US Labeling

No labeling applicable

2.3. Other Hazards

No data available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixture

Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this mixture is not considered a hazard when used in a manner which is consistent with the labeled directions.

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

| | |
|---------------------------------------|--|
| First-aid Measures General | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid Measures After Inhalation | When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists. |
| First-aid Measures After Skin Contact | Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. |
| First-aid Measures After Eye Contact | Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. |
| First-aid Measures After Ingestion | Rinse mouth. Do NOT induce vomiting. Obtain medical attention. |

4.2. Most Important Symptoms and Effects Both Acute and Delayed

| | |
|--------------------------------------|--|
| Symptoms/Injuries | Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/Injuries After Inhalation | Prolonged exposure may cause irritation. |
| Symptoms/Injuries After Skin Contact | Prolonged exposure may cause skin irritation. |
| Symptoms/Injuries After Eye Contact | May cause slight irritation to eyes. |
| Symptoms/Injuries After Ingestion | Ingestion may cause adverse effects. |
| Chronic Symptoms | None expected under normal conditions of use. |

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

| | |
|--------------------------------|---|
| Suitable Extinguishing Media | : Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical. |
| Unsuitable Extinguishing Media | : Do not use a heavy water stream. Use of heavy stream of water may spread fire. |

5.2. Special Hazards Arising From the Substance or Mixture

| | |
|------------------|---|
| Fire Hazard | Not considered flammable but may burn at high temperatures. |
| Explosion Hazard | Product is not explosive. |
| Reactivity | Hazardous reactions will not occur under normal conditions. |

5.3. Advice for Firefighters

| | |
|--------------------------------|---|
| Precautionary Measures Fire | Exercise caution when fighting any chemical fire. |
| Firefighting Instructions | Use water spray or fog for cooling exposed containers. |
| Protection During Firefighting | Do not enter fire area without proper protective equipment, including respiratory protection. |

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

For professional use only.

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

8.2. Exposure Controls

Appropriate Engineering Controls

Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles.



Materials For Protective Clothing

Chemically resistant materials and fabrics.

Hand Protection

Wear protective gloves.

Eye And Face Protection

Chemical safety goggles.

Skin And Body Protection

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

| | |
|---------------------------------------|---------------------|
| Physical State | Liquid |
| Appearance | Black |
| Odor | Odorless |
| Odor Threshold | No data available |
| pH | No data available |
| Evaporation Rate | No data available |
| Melting Point | No data available |
| Freezing Point | No data available |
| Boiling Point | No data available |
| Flash Point | > 135 °C (> 275 °F) |
| Auto-ignition Temperature | No data available |
| Decomposition Temperature | No data available |
| Flammability (solid, gas) | Not applicable |
| Vapor Pressure | No data available |
| Relative Vapor Density at 20 °C | No data available |
| Relative Density | > 1 (water = 1) |
| Solubility | No data available |
| Partition Coefficient n-Octanol/Water | No data available |
| Viscosity | No data available |

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

None expected under normal conditions of use. Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

| | |
|--|---|
| Acute Toxicity | : Not classified |
| Skin Corrosion/Irritation | Not classified |
| Serious Eye Damage/Irritation | Not classified |
| Respiratory or Skin Sensitization | Not classified |
| Germ Cell Mutagenicity | Not classified |
| Carcinogenicity | Not classified |
| Reproductive Toxicity | : Not classified |
| Specific Target Organ Toxicity (Single Exposure) | : Not classified |
| Specific Target Organ Toxicity (Repeated Exposure) | : Not classified |
| Aspiration Hazard | Not classified |
| Symptoms/Injuries After Inhalation | Prolonged exposure may cause irritation. |
| Symptoms/Injuries After Skin Contact | Prolonged exposure may cause skin irritation. |
| Symptoms/Injuries After Eye Contact | May cause slight irritation to eyes. |
| Symptoms/Injuries After Ingestion | Ingestion may cause adverse effects. |
| Chronic Symptoms | None expected under normal conditions of use. |

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified.

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and Degradability

CV-2500-2 Part A

| | |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |
|-------------------------------|------------------|

12.3. Bioaccumulative Potential

CV-2500-2 Part A

| | |
|---------------------------|------------------|
| Bioaccumulative Potential | Not established. |
|---------------------------|------------------|

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

| | |
|-------------------|-----------------------------------|
| Other Information | Avoid release to the environment. |
|-------------------|-----------------------------------|

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

| | |
|---------------------------|--|
| Waste Disposal | Dispose of contents/container in accordance with local, regional, national, and international regulations. |
| Recommendations | |
| Additional Information | Container may remain hazardous when empty. Continue to observe all precautions. |
| Ecology - Waste Materials | Avoid release to the environment. |

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

15.2. US State Regulations

Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed.


SECTION 16: Other Information, Including Date of Preparation or Last Revision

| | |
|--|---|
| Date of Preparation or Latest Revision | 03/01/2024 |
| Other Information | This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. |

CV-2500-2 Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | |
|------------------------|---|---|
| NFPA Health Hazard | 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given. |  |
| NFPA Fire Hazard | 1 - Materials that must be preheated before ignition can occur. | |
| NFPA Reactivity Hazard | 0 - Material that in themselves are normally stable, even under fire conditions. | |
| HMIS III Rating | | |
| Health | : 1 Slight Hazard - Irritation or minor reversible injury possible | |
| Flammability | : 1 Slight Hazard | |
| Physical | : 0 Minimal Hazard | |

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 03/01/2024 Date of Issue: 06/17/2014



Version: 4.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product Name : CV-2500-2 Part B
Synonyms : Silicone Elastomer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC
1050 Cindy Lane
Carpinteria, California 93013
USA
(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 4 H227

Skin Irrit. 2 H315

Eye Irrit. 2A H319

Repr. 1B H360

Full text of hazard classes and H-statements: see section 1.6

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H227 - Combustible liquid
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H360 - May damage fertility or the unborn child

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking.

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P280 - Wear protective gloves, protective clothing, and eye protection.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P312 - Call a poison center or doctor if you feel unwell.
P321 - Specific treatment (see section 4 on this SDS).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use appropriate media to extinguish
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other hazards

Other hazards not contributing to the classification : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | GHS-US classification |
|--|---------------------|-------|--|
| Silicic acid (H ₄ SiO ₄), tetraethyl ester, reaction products with chlorodimethylsilane | (CAS No) 68988-57-8 | 40-60 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| Methyl vinylcyclosiloxane | (CAS-No.) 2554-06-5 | < 3 | Repr. 1B, H360 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
- First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.
- First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
- First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes serious eye irritation. Causes skin irritation. May damage fertility or the unborn child.
- Symptoms/injuries after inhalation : Prolonged exposure may cause irritation.
- Symptoms/injuries after skin contact : Redness, pain, swelling, itching, burning, dryness, and dermatitis.
- Symptoms/injuries after eye contact : Redness, pain, swelling, itching, burning, tearing, and blurred vision.
- Symptoms/injuries after ingestion : Ingestion may cause adverse effects.
- Chronic symptoms : May damage fertility or the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Fire-Fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray, dry chemical, foam, carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Application of water stream to hot product may cause frothing and increase fire intensity.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid.
- Explosion hazard : May form flammable or explosive vapor-air mixture. Reacts violently with strong oxidizers. Increased risk of fire or explosion.
- Reactivity : Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
- Firefighting instructions : Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : Refer to Section 9 for flammability properties.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protection equipment (PPE).
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing. Handle empty containers with care because residual vapors are flammable.
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.
Storage conditions : Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible products : Strong acids, strong bases, strong oxidizers.

7.3. Specific end use(s)

For professional use only.

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing : Chemically resistant materials and fabrics.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Chemical safety goggles.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------------------|----------------------|
| Physical state | : Liquid |
| Appearance | : Colorless |
| Odor | : Odorless |
| Odor threshold | : No data available |
| pH | : No data available |
| Evaporation Rate | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 65 °C (> 149 °F) |
| Auto-ignition Temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Specific Gravity | : > 1 |
| Solubility | : No data available |

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient: n-octanol/water : No data available

Viscosity : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air. Reacts violently with strong oxidisers. Increased risk of fire or explosion.

10.2. Chemical Stability

Stable at normal conditions. Combustible liquid. May form flammable or explosive vapour-air mixture.

10.3. Possibility of Hazardous Reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Methyl vinylcyclosiloxane (2554-06-5) | |
|--|--|
| LD50 Oral Rat | > 4800 mg/kg (Read accross, no deaths) |
| LD50 Dermal Rabbit | > 2000 mg/kg (no deaths) |
| LC50 Inhalation Rat | > 1.32 mg/l/4h |

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Not classified

Symptoms/injuries after skin contact : Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/injuries after eye contact : Redness, pain, swelling, itching, burning, tearing, and blurred vision.

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after ingestion : Ingestion may cause adverse effects.
Chronic symptoms : May damage fertility or the unborn child.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified.

12.2. Persistence and degradability

CV-2500-2 Part B

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

12.3. Bioaccumulative potential

CV-2500-2 Part B

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name COMBUSTIBLE LIQUID, N.O.S.

Identification Number NA1993

Packing Group III

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

CV-2500-2 Part B

| | |
|-------------------------------------|---------------------------------|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
|-------------------------------------|---------------------------------|

15.2. US State regulations

No additional information available.

CV-2500-2 Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


SECTION 16: Other information, including date of preparation or last revision

Revision date : 03/01/2024
Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H-phrases:

| | |
|---------------|---|
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Repr. 1B | Reproductive toxicity Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H360 | May damage fertility or the unborn child |
| H227 | Combustible liquid |

NFPA Health Hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA Fire Hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



HMIS Rating
Health : 2 Moderate Hazard
* Chronic - Chronic (long-term) health effects may result from repeated overexposure
Flammability : 2 Moderate Hazard
Physical : 0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS