



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:: 04/22/2022 Date of Issue: 05/02/2014

Version 4.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Mixture

Product Name MED4-4220 Part A Synonyms Silicone Elastomer

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780

ehs@nusil.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency Number 800-424-9300 CHEMTREC (in US)

+1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture GHS-US Classification

Repr. 2 H361 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)





GHS08

GHS09

Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) H361 - Suspected of damaging fertility or the unborn child

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US) P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been

read and understood.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P391 - Collect spillage. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) 2.4.

No additional information available

SECTION 3: Composition/Information On Ingredients

Substances 3.1.

Not applicable

Mixtures 3.2.

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N-	(CAS-No.) 68909-20-6	10 - 30	Not classified
(trimethylsilyI)-, hydrolysis products with			
silica			
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

Full text of H-phrases: see section 16

SECTION 4: First Aid Measures

Description of First-aid Measures 4.1.

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Remove contaminated clothing. Drench affected area with Contact water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-aid Measures After Eye

Contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Suspected of damaging fertility or the unborn child.

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion

Products

Carbon oxides (CO, CO₂). Formaldehyde. Silicon oxides.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Ventilate area. Upon arrival at the scene, a first responder is

expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions

permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Will decompose above 150 °C (> 300 °F) releasing

Processed formaldehyde vapors.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Avoid breathing vapors, mist, spray.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s) For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
	USA OSHA	OSHA PEL TWA	6 mg/m³
	USA OSHA	OSHA PEL TWA	20 mppcf (80mg/m³/%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment Gloves. Protective clothing. Protective goggles.







Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No data available No data available Hq **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available Relative Density No data available

Specific Gravity > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity
No data available
No data available
No data available

9.2. Other Information

VOC Content < 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral) Not classified Acute Toxicity (Dermal) Not classified Acute Toxicity (Inhalation) Not classified

	The transfer of the transfer o
Octamethylcyclotetrasiloxane (5	556-67-2)
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 ma/l/4h

Skin Corrosion/Irritation Not classified Serious Eye Damage/Irritation Not classified Respiratory or Skin Sensitization Not classified Germ Cell Mutagenicity Not classified Carcinogenicity Not classified

Reproductive Toxicity Suspected of damaging fertility or the unborn child. Not classified

Not classified

Specific Target Organ Toxicity

(Single Exposure)

Specific Target Organ Toxicity

(Repeated Exposure)

Aspiration Hazard Not classified

Symptoms/Injuries After Inhalation Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact May cause slight irritation to eyes. Symptoms/Injuries After Ingestion Ingestion may cause adverse effects.

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Toxic to aquatic life with long lasting effects.

Octamethylcyclotetrasiloxane (556-67-2)	
LC50 Fish	> 22 µg/l
NOEC Chronic Fish	0.0044 mg/l

12.2. Persistence and Degradability

MED4-4220 Part A	

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Persistence and Degradability	Not established.
12.3. Bioaccumulative Potential	
MED4-4220 Part A	
Bioaccumulative Potential	Not established.
Octamethylcyclotetrasiloxane (556-67-2)	
BCF Fish	12400
Partition coefficient n-octanol/water (Log POW)	5.1

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Treatment Methods Dispose of waste material in accordance with all local,

regional, national, and international regulations.

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Ecology - Waste Materials Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Hazard Class 9

Identification Number UN3082

Label Codes 9
Packing Group III

Marine Pollutant Marine pollutant

ERG Number 171

14.2. In Accordance with IMDG

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Hazard Class 9

Identification Number UN3082

Packing Group III
Label Codes 9
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-F

Marine Pollutant Marine pollutant

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. In Accordance with IATA

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Packing Group III

Identification Number UN3082

Hazard Class 9 Label Codes 9 ERG Code (IATA) 9L



SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED4-4220 Part A	
SARA Section 311/312 Hazard Classes	Health hazard - Reproductive toxicity

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 04/22/2022

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
H226	Flammable liquid and vapor
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.


NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.



Health 1 Slight Hazard
Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND. INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil US GHS SDS





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:: 04/22/2022 Date of Issue: 05/02/2014

Version 4.0

SECTION 1: Identification

1.1. **Product Identifier**

Product Form Mixture

Product Name MED4-4220 Part B Synonyms Silcone Elastomer

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against 1.2.

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 **USA** (805) 684-8780

ehs@nusil.com

www.nusil.com

Emergency Telephone Number

800-424-9300 CHEMTREC (in US) **Emergency Number**

+1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1. **GHS-US Classification**

Repr. 2 H361 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

Label Elements

GHS-US Labelina

Hazard Pictograms (GHS-US)





GHS08

GHS09

Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) H361 - Suspected of damaging fertility or the unborn child

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US) P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been

read and understood.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye

protection.

P308+P313 - If exposed or concerned: Get medical

advice/attention. P391 - Collect spillage. P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No additional information available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	GHS-US Classification
Silanamine, 1,1,1-trimethyl-N-	(CAS-No.) 68909-20-6	10 - 30	Not classified
(trimethylsilyl)-, hydrolysis products with			
silica			
Siloxanes and Silicones, dimethyl,	(CAS-No.) 68037-59-2	< 10	Skin Irrit. 2, H315
methyl hydrogen			Eye Irrit. 2, H319
			STOT SE 3, H335
Octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2	< 1	Flam. Liq. 3, H226
			Repr. 2, H361
			Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Eve Rinse cautiously with water for at least 15 minutes. Remove

Contact contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Inaestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Suspected of damaging fertility or the unborn child. Symptoms/Injuries

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Inaestion

Chronic Symptoms Suspected of damaging fertility or the unborn child.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

Extinguishing Media 5.1.

Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Hazardous reactions will not occur under normal conditions. Reactivity

Advice for Firefighters 5.3.

Precautionary Measures Fire Exercise caution when fighting any chemical fire. Firefighting Instructions Use water spray or fog for cooling exposed containers. **Protection During Firefighting**

Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion Carbon oxides (CO, CO₂). Explosive hydrogen gas.

Products Formaldehyde. Silicon oxides.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment And Emergency Procedures 6.1.

Avoid prolonged contact with eyes, skin and clothing. Avoid General Measures

breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Procedures Ventilate area. Upon arrival at the scene, a first responder is

expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions

permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Will decompose above 150 °C (> 300 °F) releasing

Processed formaldehyde vapors.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Avoid breathing vapors, mist, spray.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)			
	USA OSHA	OSHA PEL TWA	6 mg/m³
	USA OSHA	OSHA PEL TWA	20 mppcf (80mg/m³/%SiO ₂)

8.2. Exposure Controls

Appropriate Engineering Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Ensure adequate ventilation, especially in confined areas.

Ensure all national/local regulations are observed.

Personal Protective Equipment Gloves. Protective clothing. Protective goggles.







Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety agaales.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No data available рΗ No data available **Evaporation Rate** No data available **Melting Point** No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available **Decomposition Temperature** No data available Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available Relative Density No data available

Specific Gravity > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity

No data available
No data available
No data available

9.2. Other Information

VOC Content < 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable at normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur. Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

10.6. Hazardous Decomposition Products

May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition. Thermal decomposition generates: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral)

Acute Toxicity (Dermal)

Acute Toxicity (Inhalation)

Not classified

Not classified

Octamethylcyclotetrasiloxane (556-67-2)	
LD50 Oral Rat	> 4800 mg/kg (No mortality)
LD50 Dermal Rat	> 2375 mg/kg
LD50 Dermal Rabbit	> 2.5 ml/kg (No mortality)
LC50 Inhalation Rat	36 mg/l/4h
Skin Corrosion/Irritation	Not classified

3KIT COHOSION/IIII GIION	1401 Classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified

Reproductive Toxicity Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity Not classified

(Single Exposure)

Specific Target Organ Toxicity Not classified

(Repeated Exposure)

Aspiration Hazard Not classified

Symptoms/Injuries After Inhalation Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion Ingestion may cause adverse effects.

Chronic Symptoms Suspected of damaging fertility or the unborn child.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Toxic to aquatic life with long lasting effects.

Octamethylcyclotetrasiloxane (556-67-2)	
LC50 Fish	> 22 µg/l
NOEC Chronic Fish	0.0044 mg/l

12.2. Persistence and Degradability

MED4-4220 Part B	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

MED4-4220 Part B		
Bioaccumulative Potential	Not established.	
Octamethylcyclotetrasiloxane (556-67-2)		
BCF Fish	12400	
Partition coefficient n-octanol/water (Log POW)	5.1	

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Treatment Methods Dispose of waste material in accordance with all local,

regional, national, and international regulations.

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Ecology - Waste Materials Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Hazard Class 9

Identification Number UN3082

Label Codes 9
Packing Group III

Marine Pollutant Marine pollutant

ERG Number 171

14.2. In Accordance with IMDG

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Hazard Class 9

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Identification Number UN3082

Packing Group III
Label Codes 9
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-F



Marine Pollutant Marine pollutant

14.3. In Accordance with IATA

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Octamethylcyclotetrasiloxane)

Packing Group III

Identification Number UN3082

Hazard Class 9 Label Codes 9 ERG Code (IATA) 9L



SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

MED4-4220 Part B

SARA Section 311/312 Hazard Classes | Health hazard - Reproductive toxicity

15.2. US State Regulations

Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica (68909-20-6)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Siloxanes and Silicones, dimethyl, methyl hydrogen (68037-59-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Maine - Chemicals of Concern

U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical

Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest

04/22/2022

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.


NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.



Health 1 Slight Hazard
Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



Nusil US GHS SDS