

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Date of Revision: 02/13/2024 Date of Issue: 08/26/2014

Version: 6.0

### SECTION 1: Identification

#### 1.1. Product Identifier

|              |                    |
|--------------|--------------------|
| Product Form | Mixture            |
| Product Name | MED-6210 Part A    |
| Synonyms     | Silicone Elastomer |

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

|                              |                            |
|------------------------------|----------------------------|
| Use of the Substance/Mixture | For professional use only. |
|------------------------------|----------------------------|

#### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC  
1050 Cindy Lane  
Carpinteria, California 93013  
USA  
(805) 684-8780

[productstewardship@avantorsciencesgcc.com](mailto:productstewardship@avantorsciencesgcc.com)

[www.nusil.com](http://www.nusil.com)

#### 1.4. Emergency Telephone Number

|                  |  |
|------------------|--|
| Emergency Number | 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime) |
|------------------|--|

### SECTION 2: Hazards Identification

#### 2.1. Classification of the Substance or Mixture

##### GHS-US Classification

Repr. 2 H361

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS08

Signal Word (GHS-US)

Warning

Hazard Statements (GHS-US)

H361 - Suspected of damaging fertility or the unborn child

H412 - Harmful to aquatic life with long-lasting effects

Precautionary Statements (GHS-US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P273 - Avoid release to the environment

P280 - Wear protective gloves, protective clothing, and eye protection.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: Composition/Information On Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

| Name                         | Product Identifier | %      | GHS-US Classification  |
|------------------------------|--------------------|--------|--|
| Octamethylcyclotetrasiloxane | (CAS-No.) 556-67-2 | < 0.25 | Flam. Liq. 3, H226<br>Repr. 2, H361<br>Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

## SECTION 4: First Aid Measures

### 4.1. Description of First-aid Measures

|                                       |   |
|---------------------------------------|---|
| First-aid Measures General            | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).                     |
| First-aid Measures After Inhalation   | When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.                      |
| First-aid Measures After Skin Contact | Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists. |
| First-aid Measures After Eye Contact  | Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.  |
| First-aid Measures After Ingestion    | Rinse mouth. Do NOT induce vomiting. Obtain medical attention.  |

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

|                                      |  |
|--------------------------------------|--|
| Symptoms/Injuries                    | Suspected of damaging fertility or the unborn child. |
| Symptoms/Injuries After Inhalation   | Prolonged exposure may cause irritation.             |
| Symptoms/Injuries After Skin Contact | Prolonged exposure may cause skin irritation.        |
| Symptoms/Injuries After Eye Contact  | May cause slight irritation to eyes.                 |
| Symptoms/Injuries After Ingestion    | Ingestion may cause adverse effects.                 |
| Chronic Symptoms                     | Suspected of damaging fertility or the unborn child. |

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### SECTION 5: Fire-Fighting Measures

#### 5.1. Extinguishing Media

- Suitable Extinguishing Media : Water spray, dry chemical, foam, carbon dioxide.  
Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

- Fire Hazard Not considered flammable but may burn at high temperatures.  
Explosion Hazard Product is not explosive.  
Reactivity Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

- Precautionary Measures Fire Exercise caution when fighting any chemical fire.  
Firefighting Instructions Use water spray or fog for cooling exposed containers.  
Protection During Firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental Release Measures

#### 6.1. Personal Precautions, Protective Equipment And Emergency Procedures

- General Measures Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

##### 6.1.1. For Non-Emergency Personnel

- Protective Equipment Use appropriate personal protective equipment (PPE).  
Emergency Procedures Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective Equipment Equip cleanup crew with proper protection.  
Emergency Procedures Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and Materials for Containment and Cleaning Up

- For Containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for Cleaning Up Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling And Storage

#### 7.1. Precautions for Safe Handling

Precautions for Safe Handling

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do NOT breathe (vapor, mist, spray).

Hygiene Measures

Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures

Comply with applicable regulations.

Storage Conditions

Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials

Strong acids, strong bases, strong oxidizers.

#### 7.3. Specific End Use(s)

For professional use only.

### SECTION 8: Exposure Controls/Personal Protection

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

| Octamethylcyclotetrasiloxane (556-67-2) |          |        |
|---|----------|--------|
| USA AIHA                                | WEEL TWA | 10 ppm |

#### 8.2. Exposure Controls

Appropriate Engineering Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials For Protective Clothing

Chemically resistant materials and fabrics.

Hand Protection

Wear protective gloves.

Eye And Face Protection

Chemical safety goggles.

Skin And Body Protection

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

When using, do not eat, drink or smoke.

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on Basic Physical and Chemical Properties

|                                       |                   |
|---------------------------------------|-------------------|
| Physical State                        | Liquid            |
| Appearance                            | Colorless         |
| Odor                                  | Odorless          |
| Odor Threshold                        | No data available |
| pH                                    | No data available |
| Evaporation Rate                      | No data available |
| Melting Point                         | No data available |
| Freezing Point                        | No data available |
| Boiling Point                         | No data available |
| Flash Point                           | > 135 °C (275 °F) |
| Auto-ignition Temperature             | No data available |
| Decomposition Temperature             | No data available |
| Flammability (solid, gas)             | Not applicable    |
| Vapor Pressure                        | No data available |
| Relative Vapor Density at 20 °C       | No data available |
| Relative Density                      | > 1 (water = 1)   |
| Solubility                            | No data available |
| Partition Coefficient n-Octanol/Water | No data available |
| Viscosity                             | No data available |

#### 9.2. Other Information

VOC content < 1%

### SECTION 10: Stability and Reactivity

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

#### 10.6. Hazardous Decomposition Products

Will decompose above 150 °C (> 300 °F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

### SECTION 11: Toxicological Information

#### 11.1. Information on Toxicological Effects

Acute Toxicity : Not classified

**Octamethylcyclotetrasiloxane (556-67-2)**

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |  |
|--|--|
| LD50 Oral Rat                                      | > 4800 mg/kg (No mortality)                            |
| LD50 Dermal Rat                                    | > 2375 mg/kg   |
| LD50 Dermal Rabbit                                 | > 2.5 ml/kg (No mortality)                             |
| LC50 Inhalation Rat                                | 36 mg/l/4h   |
| Skin Corrosion/Irritation                          | Not classified   |
| Serious Eye Damage/Irritation                      | Not classified   |
| Respiratory or Skin Sensitization                  | Not classified   |
| Germ Cell Mutagenicity                             | Not classified   |
| Carcinogenicity                                    | Not classified   |
| Reproductive Toxicity                              | : Suspected of damaging fertility or the unborn child. |
| Specific Target Organ Toxicity (Single Exposure)   | : Not classified                                       |
| Specific Target Organ Toxicity (Repeated Exposure) | : Not classified                                       |
| Aspiration Hazard                                  | Not classified   |
| Symptoms/Injuries After Inhalation                 | Prolonged exposure may cause irritation.               |
| Symptoms/Injuries After Skin Contact               | Prolonged exposure may cause skin irritation.          |
| Symptoms/Injuries After Eye Contact                | May cause slight irritation to eyes.                   |
| Symptoms/Injuries After Ingestion                  | Ingestion may cause adverse effects.                   |
| Chronic Symptoms                                   | Suspected of damaging fertility or the unborn child.   |

## SECTION 12: Ecological Information

### 12.1. Toxicity

Ecology - General Harmful to aquatic life with long-lasting effects.

|  |             |
|--|-------------|
| <b>Octamethylcyclotetrasiloxane (556-67-2)</b> |             |
| LC50 Fish                                      | > 22 µg/l   |
| NOEC Chronic Fish                              | 0.0044 mg/l |

### 12.2. Persistence and Degradability

|                               |   |
|-------------------------------|---|
| <b>MED-6210 Part A</b>        |   |
| Persistence and Degradability | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative Potential

|   |                    |
|---|--------------------|
| <b>MED-6210 Part A</b>                          |                    |
| Bioaccumulative Potential                       | Not established.   |
| <b>Octamethylcyclotetrasiloxane (556-67-2)</b>  |                    |
| BCF Fish 1                                      | 12400              |
| Partition coefficient n-octanol/water (Log Pow) | 6.488 (at 25.1 °C) |

### 12.4. Mobility In Soil

No additional information available

### 12.5. Other Adverse Effects

Other Information Avoid release to the environment.

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: Disposal Considerations

#### 13.1. Waste Treatment Methods

|                                |  |
|--------------------------------|--|
| Waste Disposal Recommendations | Dispose of contents/container in accordance with local, regional, national, and international regulations. |
| Additional Information         | Container may remain hazardous when empty. Continue to observe all precautions.                            |
| Ecology - Waste Materials      | Avoid release to the environment.  |

### SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

- 14.1. In Accordance with DOT** Not regulated for transport  
**14.2. In Accordance with IMDG** Not regulated for transport  
**14.3. In Accordance with IATA** Not regulated for transport

### SECTION 15: Regulatory Information

#### 15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

|                                     |                                       |
|-------------------------------------|---------------------------------------|
| <b>MED-6210 Part A</b>              |                                       |
| SARA Section 311/312 Hazard Classes | Health hazard - Reproductive toxicity |

#### 15.2. US State Regulations

|   |
|---|
| <b>Octamethylcyclotetrasiloxane (556-67-2)</b>  |
| U.S. - Texas - Effects Screening Levels - Long Term<br>U.S. - Texas - Effects Screening Levels - Short Term<br>U.S. - Maine - Chemicals of Concern<br>U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants<br>U.S. - Minnesota - Chemicals of High Concern<br>U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins<br>U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups |

### SECTION 16: Other Information, Including Date of Preparation or Last Revision

|  |   |
|--|---|
| Date of Preparation or Latest Revision | 02/13/2024  |
| Other Information                      | This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. |

GHS Full Text Phrases:

|                   |  |
|-------------------|--|
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |

# MED-6210 Part A

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|              |  |
|--------------|--|
| Flam. Liq. 3 | Flammable liquids Category 3                         |
| Repr. 2      | Reproductive toxicity Category 2                     |
| H226         | Flammable liquid and vapor                           |
| H361         | Suspected of damaging fertility or the unborn child  |
| H410         | Very toxic to aquatic life with long lasting effects |
| H412         | Harmful to aquatic life with long lasting effects    |

NFPA Health Hazard


1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA Fire Hazard

1 - Materials that must be preheated before ignition can occur.

NFPA Reactivity Hazard

0 - Material that in themselves are normally stable, even under fire conditions.



HMIS III Rating  
Health

1 Slight Hazard - Irritation or minor reversible injury possible  
\* Chronic - Chronic (long-term) health effects may result from repeated overexposure

Flammability  
Physical

1 Slight Hazard  
0 Minimal Hazard

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS



# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision date: 02/13/2024

Revision date: 08/26/2014

Version: 6.0

### SECTION 1: Identification

#### 1.1. Product identifier

Product Form : Mixture  
Product Name : MED-6210 Part B  
Synonyms : Silicone Elastomer

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

#### 1.3. Details of the supplier of the safety data sheet

NuSil Technology LLC  
1050 Cindy Lane  
Carpinteria, California 93013  
USA  
(805) 684-8780

[productstewardship@avantorsciencesgcc.com](mailto:productstewardship@avantorsciencesgcc.com)

[www.nusil.com](http://www.nusil.com)

#### 1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC (International and Maritime)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin Irrit. 2 H315  
Eye Irrit. 2A H319  
Repr. 1B H360  
Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

GHS08

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H360 - May damage fertility or the unborn child  
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P273 - Avoid release to the environment.

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P312 - Call a poison center or doctor if you feel unwell.  
P321 - Specific treatment (see section 4 on this SDS).  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other hazards

Other hazards not contributing to the classification : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown acute toxicity (GHS US)

No data available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

| Name   | Product identifier  | %      | GHS-US classification  |
|--|---------------------|--------|--|
| Silicic acid (H <sub>4</sub> SiO <sub>4</sub> ), tetraethyl ester, reaction products with chlorodimethylsilane | (CAS No) 68988-57-8 | < 15   | Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319                     |
| Methyl vinylcyclosiloxane  | (CAS-No.) 2554-06-5 | < 1    | Repr. 1B, H360   |
| Octamethylcyclotetrasiloxane   | (CAS-No.) 556-67-2  | < 0.25 | Flam. Liq. 3, H226<br>Repr. 2, H361<br>Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
- First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/Injuries : May damage fertility or the unborn child. Causes serious eye irritation. Causes skin irritation.
- Symptoms/Injuries After Inhalation : Prolonged exposure may cause irritation.
- Symptoms/Injuries After Skin Contact : Redness, pain, swelling, itching, burning, dryness, and dermatitis.
- Symptoms/Injuries After Eye Contact : Contact causes severe irritation with redness and swelling of the conjunctiva.
- Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects.
- Chronic symptoms : May damage fertility or the unborn child.

### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: Fire-Fighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray, dry chemical, foam, carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered flammable but may burn at high temperatures.
- Explosion hazard : Product is not explosive.
- Reactivity : Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.
- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protective equipment (PPE).
- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible materials : Strong acids, strong bases, strong oxidizers.

### 7.3. Specific end use(s)

For professional use only.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

|   |          |        |
|---|----------|--------|
| Octamethylcyclotetrasiloxane (556-67-2) |          |        |
| USA AIHA                                | WEEL TWA | 10 ppm |

### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Suitable eye/body wash equipment should be available in the vicinity of any potential exposure.

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment : Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing : Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Suitable eye/body wash equipment should be available in the vicinity of any potential exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical safety goggles.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information : When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                       |
|--|-----------------------|
| Physical state                         | : Liquid              |
| Appearance                             | : Colorless           |
| Odor                                   | : Odorless            |
| Odor threshold                         | : No data available   |
| pH                                     | : No data available   |
| Evaporation Rate                       | : No data available   |
| Melting point                          | : No data available   |
| Freezing point                         | : No data available   |
| Boiling point                          | : No data available   |
| Flash point                            | : > 135 °C (> 275 °F) |
| Auto-ignition Temperature              | : No data available   |
| Decomposition temperature              | : No data available   |
| Flammability (solid, gas)              | : Not applicable      |
| Vapor pressure                         | : No data available   |
| Relative vapor density at 20 °C        | : No data available   |
| Relative density                       | : No data available   |
| Specific Gravity                       | : > 1 (water=1)       |
| Solubility                             | : No data available   |
| Partition coefficient: n-octanol/water | : No data available   |
| Viscosity                              | : No data available   |

### 9.2. Other information

VOC content : < 1%

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Evolved hydrogen gas is flammable and may form explosive mixtures with air.

#### 10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

#### 10.5. Incompatible materials

Water, alcohols, acids, bases, strong oxidizing agents, catalytic metals, metallic compounds.

#### 10.6. Hazardous decomposition products

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Flammable hydrogen gas. Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| <b>Octamethylcyclotetrasiloxane (556-67-2)</b> |                                       |
|--|---------------------------------------|
| LD50 Oral Rat                                  | > 4800 mg/kg (No mortality)           |
| LD50 Dermal Rat                                | > 2375 mg/kg                          |
| LD50 Dermal Rabbit                             | > 2.5 ml/kg (No mortality)            |
| LC50 Inhalation Rat                            | 36 mg/l/4h                            |
| <b>Methyl vinylcyclosiloxane (2554-06-5)</b>   |                                       |
| LD50 Oral Rat                                  | > 4800 mg/kg (Read across, no deaths) |
| LD50 Dermal Rabbit                             | > 2000 mg/kg (no deaths)              |
| LC50 Inhalation Rat                            | > 1.32 mg/l/4h                        |

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity – single exposure : Not classified.

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : Prolonged exposure may cause irritation.

Symptoms/effects after skin contact : Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/effects after eye contact : Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/effects after ingestion : Ingestion may cause adverse effects.

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chronic symptoms : May damage fertility or the unborn child.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

| <b>Octamethylcyclotetrasiloxane (556-67-2)</b> |             |
|--|-------------|
| LC50 Fish                                      | > 22 µg/l   |
| NOEC Chronic Fish                              | 0.0044 mg/l |

### 12.2. Persistence and degradability

| <b>MED-6210 Part B</b>        |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative potential

| <b>MED-6210 Part B</b>    |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| <b>Octamethylcyclotetrasiloxane (556-67-2)</b>  |                    |
|---|--------------------|
| BCF Fish 1                                      | 12400              |
| Partition coefficient n-octanol/water (Log Pow) | 6.488 (at 25.1 °C) |

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional information : Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**14.1. In Accordance with DOT** Not regulated for transport

**14.2. In Accordance with IMDG** Not regulated for transport

**14.3. In Accordance with IATA** Not regulated for transport

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, or are not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### MED-6210 Part B

|                                     |   |
|-------------------------------------|---|
| SARA Section 311/312 Hazard Classes | Health hazard - Reproductive toxicity<br>Health hazard - Skin corrosion or Irritation<br>Health hazard - Serious eye damage or eye irritation |
|-------------------------------------|---|

## 15.2. US State regulations

### Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Maine - Chemicals of Concern  
U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants  
U.S. - Minnesota - Chemicals of High Concern  
U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins  
U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups

## SECTION 16: Other information, including date of preparation or last revision

Date of Preparation or Latest Revision : 02/13/2024


Revision

Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H-phrases:

|                   |  |
|-------------------|--|
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Flam. Liq. 3      | Flammable liquids Category 3                                     |
| Repr. 1B          | Reproductive toxicity, Category 1B                               |
| Repr. 2           | Reproductive toxicity Category 2                                 |
| Eye Irrit. 2A     | Serious eye damage/eye irritation Category 2A                    |
| Skin Irrit. 2     | Skin corrosion/irritation Category 2                             |
| H226              | Flammable liquid and vapor                                       |
| H315              | Causes skin irritation   |
| H319              | Causes serious eye irritation                                    |
| H360              | May damage fertility or the unborn child                         |
| H361              | Suspected of damaging fertility or the unborn child              |
| H410              | Very toxic to aquatic life with long lasting effects             |
| H412              | Harmful to aquatic life with long lasting effects                |

NFPA Health Hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.  
NFPA Fire Hazard : 1 - Materials that must be preheated before ignition can occur.  
NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



HMIS III Rating Health : 2 Moderate Hazard



# MED-6210 Part B

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

|              |  |
|--------------|--|
|              | * Chronic - Chronic (long-term) health effects may result from repeated overexposure |
| Flammability | : 1 Slight Hazard  |
| Physical     | : 0 Minimal Hazard   |

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

NuSil US GHS SDS