



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:: 08/02/2022 Date of Issue: 04/04/2018

Version 2.0

SECTION 1: Identification

1.1. Product Identifier

Product Form Mixture

Product Name CV-2688-12 Part A
Synonyms Unvulcanized sheeting

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only.

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesgcc.com

www.nusil.com

1.4. Emergency Telephone Number

Emergency 800-424-9300 CHEMTREC (in US)

Number +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

GHS-US Classification

Not classified

2.2. Label Elements

GHS-US Labeling

No labeling applicable

2.3. Other Hazards

Other Hazards Not Contributing No additional information available

to the Classification

2.4. Unknown Acute Toxicity (GHS-US)

No additional information available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	GHS-US Classification
Glass, oxide, chemicals	(CAS-No.) 65997-17-3	5 – 10	Not classified

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin Remove contaminated clothing. Drench affected area with

Contact water for at least 5 minutes. Obtain medical attention if irritation

develops or persists.

First-aid Measures After Eye Rinse cautiously with water for at least 5 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Rinse mouth. Do NOT induce vomitting. Obtain medi

Ingestion attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Not expected to present a significant hazard under anticipated

conditions of normal use.

Symptoms/Injuries After

Inhalation

Contact

Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin

Contact

Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye

Contact

May cause slight irritation to eyes.

Symptoms/Injuries After

Ingestion

Ingestion may cause adverse effects.

Chronic Symptoms None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam,

or dry chemical.

Unsuitable Extinguishing Media : Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Contact with water, alcohols, acids or bases, and many metals

or metallic compounds can liberate flammable Hydrogen gas

which can form explosive mixtures in air.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Use water spray or fog for cooling exposed containers.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion Carbon oxides (CO, CO₂). Explosive hydrogen gas.

Products Formaldehyde. Silicon oxides.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Avoid prolonged contact with eyes, skin and clothing. Avoid

breathing dust.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain solid spills with appropriate barriers and prevent

migration and entry into sewers or streams.

Methods for Cleaning Up Clean up spills immediately and dispose of waste safely.

Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When Will decompose above 150 °C (> 300 °F) releasing

Processed formaldehyde vapors.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Avoid breathing dust.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Alcohols. Metallic compounds. Strong acids, strong bases,

strong oxidizers. Water.

7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

Glass, oxide, chemicals (65997-17-3)				
USA NIOSH	NIOSH REL TWA	3 fibers/cm³ (fibers ≤3.5 µm in diameter & ≥10 µm in length), TWA 5		
		mg/m³ (total)		
USA OSHA	OSHA PEL TWA	15 mg/m³ total dust, 5 mg/m³, respirable fraction 8 hr		

8.2. **Exposure Controls**

Appropriate Engineering Ensure adequate ventilation, especially in confined areas. Controls

Ensure all national/local regulations are observed. Suitable eye/body wash equipment should be available in the vicinity

of any potential exposure.

Gloves. Protective clothing. Protective goggles. Personal Protective Equipment







Materials For Protective

Clothing

Hand Protection Eye And Face Protection Skin And Body Protection **Respiratory Protection**

Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties 9.1.

Physical State Solid

Appearance Translucent Odor Odorless

Odor Threshold No data available Hq No data available **Evaporation Rate** No data available Melting Point No data available Freezing Point No data available **Boiling Point** No data available Flash Point > 135 °C (275 °F) **Auto-ignition Temperature** No data available No data available **Decomposition Temperature**

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	No data available
Vapor Pressure	No data available
Relative Vapor Density at 20°C	No data available
Relative Density	No data available

Specific Gravity > 1

Solubility
Partition Coefficient n-Octanol/Water
Viscosity

No data available
No data available
No data available

9.2. Other Information

VOC Content < 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Contact with water, alcohols, acids or bases, and many metals or metallic compounds can liberate flammable Hydrogen gas which can form explosive mixtures in air.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur. Evolved hydrogen gas is flammable and may form explosive mixtures with air.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Alcohols. Metallic compounds. Strong acids, strong bases, strong oxidizers. Water.

10.6. Hazardous Decomposition Products

May produce explosive hydrogen gas on contact with incompatibilities or upon thermal decomposition. Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity (Oral)	Not classified
Acute Toxicity (Dermal)	Not classified
Acute Toxicity (Inhalation)	Not classified
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	Not classified
Specific Target Organ Toxicity	Not classified
(Single Exposure)	
Specific Target Organ Toxicity	Not classified
(Repeated Exposure)	
Aspiration Hazard	Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Injuries After Skin Prolonged exposure may cause skin irritation.

Contact

Symptoms/Injuries After Eye May cause slight irritation to eyes.

Contact

Symptoms/Injuries After Ingestion may cause adverse effects.

Ingestion

Chronic Symptoms None expected under normal conditions of use.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified.

12.2. Persistence and Degradability

CV-2688-12 Part A	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

CV-2688-12 Part A	
Bioaccumulative Potential	Not established.

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Ecology - Waste Materials Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Not regulated for transport

14.2. In Accordance with IMDG

Not regulated for transport

14.3. In Accordance with IATA

Not regulated for transport

SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

15.2. US State Regulations

Glass, oxide, chemicals (65997-17-3)

U.S. - Minnesota - Hazardous Substance List

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

U.S. - Washington - Permissible Exposure Limits - TWAs

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

U.S. - Washington - Permissible Exposure Limits - STELs

U.S. - Oregon - Permissible Exposure Limits - TWAs

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest 08/02/2022

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

NFPA Health Hazard 1 - Materials that, under emergency

conditions, can cause significant irritation.

NFPA Fire Hazard 1 - Materials that must be preheated

before ignition can occur.

NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

HMIS III Rating

Health 1 Slight Hazard
Flammability 1 Slight Hazard
Physical 0 Minimal Hazard



Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil US GHS SDS





Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/02/2022 Date of Issue: 04/04/2018

Version 2.0

SECTION 1: Identification

Product Identifier 1.1.

Product Form Mixture

Product Name CV-2688-12 Part B Silicone Primer Synonyms

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Use of the Substance/Mixture For professional use only

Details of the Supplier of the Safety Data Sheet

NuSil Technology LLC 1050 Cindy Lane

Carpinteria, California 93013

USA

(805) 684-8780

productstewardship@avantorsciencesacc.com

www.nusil.com

1.4. **Emergency Telephone Number**

Emergency 800-424-9300 CHEMTREC (in US)

Number +1 703-527-3887 CHEMTREC (International and Maritime)

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture **GHS-US Classification**

Flam. Lia. 2 H225 Skin Irrit. 2 H315 Eve Dam. 1 H318 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Full text of hazard classes and H-statements: see section 16

Label Elements

Signal Word (GHS-US)

GHS-US Labeling

Hazard Pictograms (GHS-US)



GHS05



GHS07



GHS08



GHS02

Danaer Hazard Statements (GHS-US) H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H318 - Causes serious eye damage H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-

US)

P210 - Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, and lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective gloves.

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No additional information available

SECTION 3: Composition/Information On Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	GHS-US Classification
Solvent naphtha, petroleum, light aliphatic	(CAS-No.) 64742-89-8		Flam. Liq. 2, H225 STOT SE 3, H336
			Asp. Tox. 1, H304

			Aquatic Chronic 2, H411
Platinum Catalyst	(CAS-No.) 68478-92-2	5 - 10	Skin Irrit. 2, H315
			Eye Dam. 1, H318
			STOT SE 3, H335
1-Butanol, titanium(4+) salt	(CAS-No.) 5593-70-4	1 - 5	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Eye Dam. 1, H318
			STOT SE 3, H336
			STOT SE 3, H335

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: First Aid Measures

4.1. **Description of First-aid Measures**

First-aid Measures General	Novor	aivo a	nythina	hv m	outh to	anıı	nconscious i	oorson If	/011
riisi-ala Measules General	146461	give a	ПУШПЦ	Dy II		ano	110011301003	JE13011. 11 '	yOU

feel unwell, seek medical advice (show the label where

possible).

First-aid Measures After When symptoms occur: go into open air and ventilate

Inhalation suspected area. Obtain medical attention if breathing difficulty

persists.

First-aid Measures After Skin Immediately remove contaminated clothing. Immediately

Contact drench affected area with water for at least 15 minutes. Obtain

medical attention if irritation develops or persists.

Immediately rinse with water for at least 30 minutes. Remove First-aid Measures After Eye

Contact contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical advice/attention.

First-aid Measures After Rinse mouth. Do NOT induce vomiting. Place affected person

Ingestion on their side. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries Causes skin irritation. Causes serious eye damage. May be fatal

if swallowed and enters airways. May cause drowsiness and

Causes permanent damage to the cornea, iris, or conjunctiva.

dizziness.

Symptoms/Injuries After High concentrations may cause central nervous system

Inhalation depression such as dizziness, vomiting, numbness, drowsiness,

headache, and similar narcotic symptoms.

Redness, pain, swelling, itching, burning, dryness, and Symptoms/Injuries After Skin

Contact dermatitis.

Symptoms/Injuries After Eye Contact

Symptoms/Injuries After Aspiration into the lungs can occur during ingestion or vomiting

and may cause lung injury. Ingestion

Chronic Symptoms None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media : Dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO₂). Water may be ineffective but water should be used to

keep fire-exposed container cool.

Unsuitable Extinguishing Media : Do not use a heavy water stream. A heavy water stream may

spread burning liquid.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Highly flammable liquid and vapor.

Explosion Hazard May form flammable or explosive vapor-air mixture.

Reactivity Reacts violently with strong oxidizers. Increased risk of fire or

explosion.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

of major fire and large quantities: Evacuate area. Fight fire

Carbon oxides (CO, CO₂). Metal oxides. Silicon oxides.

remotely due to the risk of explosion.

Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

Hazardous Combustion

Products

Other Information Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment And Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Keep away from

heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Do not breathe vapor, mist or spray. Caution: this

product can cause the floor to be very slippery.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE). Emergency Procedures Evacuate unnecessary personnel. Stop leak if safe to do so.

6.1.2. For emergency responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Eliminate

ignition sources first, then ventilate the area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all

directions.

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for Cleaning Up Use only non-sparking tools. Clean up spills immediately and

dispose of waste safely. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a

spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Additional Hazards When

Processed

Handle empty containers with care because residual vapors

are flammable.

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Take precautionary measures against static discharge. Use only non-sparking tools.

Do not get in eyes, on skin, or on clothing.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations. Take action to prevent

static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and

lighting equipment.

Storage Conditions Store in a dry, cool place. Keep/Store away from direct sunlight,

extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place. Store locked up/in a

secure area.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), or OSHA (PEL).

8.2. Exposure Controls

Appropriate Engineering

Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Ensure all national/local regulations are observed.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials For Protective

Clothing

Hand Protection
Eye And Face Protection

Skin And Body Protection

Respiratory Protection

Chemically resistant materials and fabrics. Wear fire/flame

resistant/retardant clothing. Wear protective gloves.

Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved

respiratory protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance Translucent
Odor Solvent

Odor Threshold No data available На No data available **Evaporation Rate** No data available Melting Point No data available Freezing Point No data available Boilina Point 99 °C (210.2 °F) Flash Point 17 °C (62.6 °F) **Auto-ignition Temperature** No data available No data available **Decomposition Temperature** Flammability (solid, gas) Not applicable Vapor Pressure No data available Relative Vapor Density at 20°C No data available

Specific Gravity 0.8

Solubility
Partition Coefficient n-Octanol/Water
Viscosity

No data available
No data available
No data available

9.2. Other Information

VOC Content 65 – 85 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Relative Density

Reacts violently with strong oxidizers. Increased risk of fire or explosion.

10.2. Chemical Stability

Highly flammable liquid and vapor. May form flammable or explosive vapor-air mixture.

08/02/2022 EN (English US) 6/10

No data available

10.3. Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Metal oxides. Silicon oxides.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Not classified Acute Toxicity (Oral) Acute Toxicity (Dermal) Not classified Acute Toxicity (Inhalation) Not classified

CV-2688-12 Part B			
1-Butanol, titanium(4+) salt (5593-70-4)			
LD50 Oral Rat > 2000 mg/kg			
Solvent naphtha, petroleum, light aliphatic (64742-89-8)			
LD50 Oral Rat > 5000 mg/kg			
LD50 Dermal Rabbit 3000 mg/kg			

Skin Corrosion/Irritation Causes skin irritation.

Serious Eye Damage/Irritation Causes serious eye damage.

Respiratory or Skin Sensitization Not classified Germ Cell Mutagenicity Not classified Carcinogenicity Not classified Reproductive Toxicity Not classified

Specific Target Organ Toxicity

(Single Exposure)

Specific Target Organ Toxicity (Repeated Exposure)

Aspiration Hazard May be fatal if swallowed and enters airways.

Not classified

Symptoms/Injuries After High concentrations may cause central nervous system

depression such as dizziness, vomiting, numbness, drowsiness, Inhalation

May cause drowsiness or dizziness.

headache, and similar narcotic symptoms.

Redness, pain, swelling, itching, burning, dryness, and Symptoms/Injuries After Skin

Contact dermatitis.

Symptoms/Injuries After Eye

Contact

Ingestion

Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Aspiration into the lungs can occur during ingestion or vomiting

and may cause lung injury.

Chronic Symptoms None expected under normal conditions of use.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Toxic to aquatic life with long lasting effects.

1-Butanol, titanium(4+) salt (5593-70-4)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EC50 Crustacea 680 mg/l

12.2. Persistence and Degradability

CV-2688-12 Part B

Persistence and Degradability | May cause long-term adverse effects in the environment.

12.3. Bioaccumulative Potential

CV-2688-12 Part B

Bioaccumulative Potential Not established.

12.4. Mobility In Soil

No additional information available

12.5. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Waste Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Handle empty containers with care because residual vapors

are flammable.

Ecology - Waste Materials This material is hazardous to the aquatic environment. Keep

out of sewers and waterways. Avoid release to the

environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3

Identification Number UN1268

Label Codes 3
Packing Group ||

Marine Pollutant Marine pollutant

ERG Number 128

14.2. In Accordance with IMDG

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3

Identification Number UN1268

Packing Group II
Label Codes 3
EmS-No. (Fire) F-E
EmS-No. (Spillage) S-E

Marine Pollutant Marine pollutant

MFAG Number 128



14.3. In Accordance with IATA

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Packing Group |

Identification Number UN1268

Hazard Class 3 Label Codes 3 ERG Code (IATA) 3H



SECTION 15: Regulatory Information

15.1. US Federal Regulations

All components in this mixture are listed on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, have been exempted, are not listed, not disclosed due to CBI requirements or disclosure rules according to the relevant regulation.

CV-2688-12 Part B	<u> </u>			
SARA Section 311/312 Hazard	Health hazard - Aspiration hazard			
Classes	Health hazard - Serious eye damage or eye irritation			
	Health hazard - Skin corrosion or Irritation			
	Health hazard - Specific target organ toxicity (single or repeated			
	exposure)			
	Physical hazard - Flammable (gases, aerosols, liquids, or solids)			

15.2. US State Regulations

1 DL	1:1 :	/ / . 1	\II	15500 70 11
I I_KIITANAI	TITANII IM	I / I +	ו כמוד	15593-711-711
1-Butanol,	III GI II GI I I	יידו	ı sanı	100/0-/0-41

U.S. - Texas - Effects Screening Levels - Long Term

<u>U.S. - Texas - Effects Screening</u> Levels - Short Term

Solvent naphtha, petroleum, light aliphatic (64742-89-8)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical

Groups

SECTION 16: Other Information, Including Date of Preparation or Last Revision

Date of Preparation or Latest

08/02/2022

Revision

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29

CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3,
	Respiratory tract irritation

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

NFPA Health Hazard 3 - Materials that, under emergency

conditions, can cause serious or

permanent injury.

NFPA Fire Hazard 3 - Liquids and solids (including finely

divided suspended solids) that can be

ignited under almost all ambient

temperature conditions.


NFPA Reactivity Hazard 0 - Material that in themselves are

normally stable, even under fire

conditions.

HMIS III Rating

Health 3 Serious Hazard
Flammability 3 Serious Hazard
Physical 0 Minimal Hazard



Nusil US GHS SDS